

#### From the INTERNATIONAL BUREAU

#### **PCT**

#### **NOTIFICATION OF ELECTION**

(PCT Rule 61.2)


Commissioner
US Department of Commerce
United States Patent and Trademark
Office, PCT
2011 South Clark Place Room
CP2/5C24
Arlington, VA 22202

Date of mailing (day/month/year) 05 July 2001 (05.07.01)	ETATS-UNIS D'AMERIQUE in its capacity as elected Office		
International application No.	Applicant's or agent's file reference		
PCT/US00/15990	C1211-995100		
International filing date (day/month/year)	Priority date (day/month/year)		
09 June 2000 (09.06.00)	11 June 1999 (11.06.99)		
Applicant			
BURNETT, Gerald et al			

1.	The designated Office is hereby notified of its election made:
	X in the demand filed with the International Preliminary Examining Authority on:
	09 January 2001 (09.01.01)
	in a notice effecting later election filed with the International Bureau on:
2.	The election X was
	was not
	made before the expiration of 19 months from the priority date or, where Rule 32 applies, within the time limit under Rule 32.2(b).

The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland Authorized officer

H. Zhou

Telephone No.: (41-22) 338.83.38

Facsimile No.: (41-22) 740.14.35



#### From the INTERNATIONAL BUREAU

### **PCT**

#### **NOTIFICATION OF ELECTION**

(PCT Rule 61.2)

- 1	^	
- 1	u	

Commissioner
US Department of Commerce
United States Patent and Trademark
Office, PCT
2011 South Clark Place Room
CP2/5C24
Arlington, VA 22202

Date of mailing (day/month/year) 15 August 2001 (15.08.01)	ETATS-UNIS D'AMERIQUE in its capacity as elected Office
International application No. PCT/US00/15990	Applicant's or agent's file reference
International filing date (day/month/year)	C1211-995100  Priority date (day/month/year)
09 June 2000 (09.06.00)	11 June 1999 (11.06.99)
Applicant	
BURNETT, Gerald et al	

1.	The designated Office is hereby notified of its election made:
	X in the demand filed with the International Preliminary Examining Authority on:
	09 January 2001 (09.01.01)
	in a notice effecting later election filed with the International Bureau on:
2.	The election X was was not
	made before the expiration of 19 months from the priority date or, where Rule 32 applies, within the time limit under Rule 32.2(b).

The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland Authorized officer

Sean Taylor

Telephone No.: (41-22) 338.83.38

Facsimile No.: (41-22) 740.14.35

# Copy for the Elected Office (EO/US) PATOTICOOPERATION TREAT

### **PCT**

#### То:

# NOTIFICATION OF THE RECORDING OF A CHANGE

(PCT Rule 92bis.1 and Administrative Instructions, Section 422)

BERNSTEIN, Frank, L.
Sughrue, Mion, Zinn, Macpeak &
Seas, PLLC
1010 El Camino Real, Suite 360
Menlo Park
CA 94025
ETATS-UNIS D'AMERIQUE

From the INTERNATIONAL BUREAU

Administrative Instructions, Section 422)	Menlo Park CA 94025		
Date of mailing (day/month/year) 15 août 2001 (15.08.01)	ETATS-UNIS D'AMERIQUE		
Applicant's or agent's file reference C1211-995100	IMPORTANT NOTIFICATION		
International application No. PCT/US00/15990	International filing date (day/month/year) 09 juin 2000 (09.06.00)		
1. The following indications appeared on record concerning:  the applicant the inventor	the agent the common representative		
Name and Address GOLDMAN, William, W. Gray Cary Ware & Freidenrich LLP 3340 Hillview Avenue Palo Alto, CA 94304 United States of America	State of Nationality  Telephone No. 650-320-7400  Facsimile No. 650-320-7401  Teleprinter No.		
2. The International Bureau hereby notifies the applicant that the X the person the name the add			
Name and Address  BERNSTEIN, Frank, L. Sughrue, Mion, Zinn, Macpeak & Seas, PLLC 1010 EI Camino Real, Suite 360 Menlo Park CA 94025 United States of America	State of Nationality  Telephone No. 650-325-5800  Facsimile No. 650-325-6606  Teleprinter No.		
3. Further observations, if necessary:			
4. A copy of this notification has been sent to:  X the receiving Office the International Searching Authority  X the International Preliminary Examining Authority	the designated Offices concerned  X the elected Offices concerned  X other: GOLDMAN, William, W.		
The International Bureau of WIPO	Authorized officer		

The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland

Sean Taylor

Telephone No.: (41-22) 338.83.38

Facsimile No.: (41-22) 740.14.35

# TENT COOPERATION TRE

## $\mathbb{PCT}$

REC'D	0 2	ОСТ	2001
V'.FO		F	PCT

### INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Article 36 and Rule 70)

1	1	,
ľ		T

Applicant's or agent's file reference	T			
P138922	FOR FURTHER ACTION	See Notification of Transmittal of International Preliminary Examination Report (Form PCT/IPEA/416)		
International application No.	International filing date (day/mo	onth/year) Priority date (day/month/year)		
PCT/US00/15990	09 JUNE 2000	11 JUNE 1999		
International Patent Classification (IPC) Please See Supplemental Sheet.	or national classification and IPC			
Applicant COLLABORATION PROPERTIES, IN	NC.,			
This international prelimina     Examining Authority and is	ry examination report has be transmitted to the applicant ac	peen prepared by this International Preliminary ecording to Article 36.		
2. This REPORT consists of a	total of sheets.			
(see Rule 70.16 and Sect	ion 607 of the Administrative In	s of the description, claims and/or drawings which have the containing rectifications made before this Authority. Instructions under the PCT).		
These annexes consist of a to	tal of <u>C</u> sheets.			
3. This report contains indication	s relating to the following iten	ns:		
I X Basis of the report	t			
II Priority				
<u> </u>	_			
III Non-establishment  IV Lack of unity of in		elty, inventive step or industrial applicability		
V X Reasoned statement		to novelty, inventive step or industrial applicability;		
	and the state of t	-		
	e international application			
Certain observations	on the international application			
•				
ate of submission of the demand	Date of o	completion of this report		
09/JANUARY 2001	21 A	UGUST 2001		
ame and mailing address of the IPEA/US		ed officer		
Commissioner of Patents and Trademarks Box PCT  Lagran Action Commissioner of Patents and Trademarks				
Washington, D.C. 20231		Srirama Channavajjala		
csimile No. (703) 305-3230	Telephone	e No. (703) 305-9790		



Internation	al application	No.

PCT/US00/15990

I. B	asis of t	he report				3770
1. <b>W</b> iti	h regard t	o the elements of the inte	ernational application:	*		
x		ernational application				
$\mathbf{x}$	•	scription:	<i>C</i> ,			
لکا	pages .	1-39				
	pages	NONE				_ , as originally filed
	pages	NONE		, filed with the letter of	,	med with the demand
	A1 1 - 1					
X	the clai					
	pages _ pages _	<del></del>	·	1.1		_ , as originally filed
	pages _	NONE		, as amended (together	with any stater	ment) under Article 19
	pages _		, filed with	the letter of	, , <sup>1</sup>	filed with the demand
	the drav				-	
X	pages	<del>-</del>				
	pages _	NONE				
	pages _			Elad mid at 1 at C	, f	iled with the demand
	F-6			filed with the letter of _		
X	the sequ	ence listing part of the	description:			
<del></del>	pages	NONE				as originally filed
	pages _	NONE			£	ا بالمالية المالية
	pages _	NONE	, f	iled with the letter of _		with the demand
	the lang	uage of publication of	the international	ourposes of international application (under Rule oses of international prelim	48.3(b)).	
	ontaine	d in the international	a out on the basis			cation, the international
L] f	iled toge	ether with the internat	ional application	in computer readable for	rm.	
		subsequently to this				
f	urnished	subsequently to this	Authority in comp	outer readable form.		
I I	he stater nternation	ment that the subsequent al application as filed	ntly furnished writt has been furnished	en sequence listing does	not go beyond	the disclosure in the
				iter readable form is identic	cal to the writen	sequence listing has
4 X T	he ame	ndments have resulted	l in the cancellation	on of:		
	X the	description, pages	NONE			
	X the	claims, Nos.	NONE	<del></del>		
		drawings, sheets/fig	NONE	<del></del>		
i.   П т		-	ome of the amount	nonto had and t	•	ľ
٠ · ا	beyond th	e disclosure as filed as	indicated in the Sun	nents had not been made, s plemental Box (Rule 70.2(c	since they have b	een considered to go
* Keviace	emeni she	ets which have been furni	shed to the receiving	office in response to an invi this report since they do n		cle 14 are referred to dments (Rules 70.16
	•			e referred to under item 1		l l

### INTERNATIONAL PRELIMINARY EXAMINATION REPORT

In ional application No.
PCT/US00/15990

	DM HWIIIIAT	ION REPORT	PCT/US00/15990	
V. Reasoned statement under Article 3 citations and explanations supportin	5(2) with regard	ard to novelty, inv	entive step or industrial app	licability;
l. statement				
Novelty (N)	Claims	1-52		YES
	Claims			
Inventive Step (IS)	Claims	NONE		YES
	Claims	4 54		
Industrial Applicability (IA)	Claims	1-52		VEC
	Claims	NONE		
WE S COT SEE A SUPPLY OF				
US 5,617,539 A [LUDWIG et al] 1 APRIL	1997			
•				
				i

## INTERNATIONAL PRELIMITARY EXAMINATION REPORT

PCT/US00/15990

#### Supplemental Box

(To be used when the space in any of the preceding boxes is not sufficient)

Continuation of: Boxes I - VIII

Sheet 10

#### CLASSIFICATION:

The International Patent Classification (IPC) and/or the National classification are as listed below:

IPC(7): G06F 17/30 and US Cl.: 345/968-969 379/88.13,88.17,88.19,93.25,900-901,903,908

705/17-18,20-22,43-44,51,56,58,72-73 707/1-10,100-104,200-206,500-501

709/201,203,213,217-220,223-224,230-232,236,249

713/200-202

#### (12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

## (19) World Intellectual Property Organization International Bureau



### 

#### (43) International Publication Date 21 December 2000 (21.12.2000)

#### **PCT**

# (10) International Publication Number WO 00/77687 A1

(51) International Patent Classification<sup>7</sup>: G06F 17/30

----

(21) International Application Number: PCT/US00/15990

(22) International Filing Date: 9 June 2006

9 June 2000 (09.06.2000)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data: 60/138,921

11 June 1999 (11.06.1999) US


- (71) Applicant (for all designated States except US): COL-LABORATION PROPERTIES, INC. [US/US]; Suite 7, 913 Tahoe Boulevard, Incline Village, NV 89451 (US).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): BURNETT, Gerald [—/US]; 207 Atherton Avenue, Atherton, CA 94027 (US). LAUWERS, Jozef, C. [—/US]; 350 Sharon Park Drive, H-210, Menlo Park, CA 94025 (US). CALABY, Lauren [—/US]; P.O. Box 155, Scotia, CA 95565-0155 (US). HUGHES, James [—/US]; 17830 Woodland Avenue, Morgan Hill, CA 95037 (US). INN, Yul [—/US]; 22281

Bellevue Avenue, Cupertino, CA 95014 (US). VAN-DERLIPPE, Richard [—/US]; 1247 Fulton Street, #7, San Francisco, CA 94117 (US). HORSCHMAN, Eric [—/US]; 312 Cardona Circle, San Ramon, CA 94583 (US). WALLIN, Brian [—/US]; 814 East Dana Street, Mountain View, CA 94041 (US). LUDWIG, Lester [—/US]; 1230 Southdown Road, Hillsborough, CA 94010 (US).

- (74) Agent: GOLDMAN, William, W.; Gray Cary Ware & Freidenrich LLP, 3340 Hillview Avenue, Palo Alto, CA 94304 (US).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE,

[Continued on next page]

(54) Title: SYSTEM AND METHOD FOR BROWSER-BASED MULTIMEDIA COLLABORATION REPORTING



(57) Abstract: A multimedia collaboration reporting system and method [figures 1-2] for use in at least one underlying multimedia collaboration system network [figure 4] provided. The system includes an event monitoring module for monitoring any of internal network system events (201), external network system events (202) and service events (203), a database module (205) for recording the monitored events and a reporting module (207) for receiving query parameter information (226) and for generating a report (206) in accordance with the query parameter information. The method includes monitoring any of internal network systems events, external network system events and service events and recording the events to a database (205), querying the database with a set of query parameter information to generate an analysis report and generating the analysis report (209) in accordance with the query parameter information.



NO 00/77687 A

### WO 00/77687 A1



IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

#### Published:

With international search report.

15

20

25

# SYSTEM AND METHOD FOR BROWSER-BASED MULTIMEDIA COLLABORATION REPORTING

The present invention relates to multimedia collaboration systems, and in particular to a multimedia collaboration event and status reporting system.

#### **BACKGROUND OF THE INVENTION**

Multimedia collaboration systems facilitate the exchange of audio, video, text, graphics, application commands and/or other types of information between users in real, near-real, or non-real time communication. Interpersonal communication involves a large number of subtle and complex visual cues, such as eye contact and body language, which provide additional information beyond spoken words and explicit gestures. These cues are, for the most part, processed subconsciously by the participants and often control the course of a conversation. Multimedia collaboration systems advantageously allow users to detect these cues and thereby enhance the communication between users.

In addition to spoken words, demonstrative gestures and behavioral cues, collaboration often involves the sharing of visual information, such as printed material (i.e., articles), drawings, photographs, charts and graphs, as well as videotapes and computer-based animations, visualizations and other displays, in such a way that participants can collectively and interactively examine, discuss, annotate and revise the information. This combination of spoken words, gestures, visual cues and interactive data sharing significantly enhances the effectiveness of collaboration in a variety of contexts, such as "brainstorming" sessions among professionals in a particular field, consultations between one or more experts and one or more clients, sensitive business or political negotiations, and the like. In a traditional collaboration system, such as one in which the participants cannot be in the same place at the same time, the beneficial effects of face-to-face collaboration are realized only to the extent that each of the remotely located participants can be "recreated" at each site.

Conventional desktop videoconferencing systems do not address the challenges of collaboration in real-time, primarily because of their lack of high-quality video (for capturing the visual cues of the participants) and their limited data sharing capabilities. Similarly, telephone answering machines, voice mail, fax machines and conventional electronic mail

systems provide incomplete solutions to the problems presented by asynchronous collaboration because they are incapable of communicating visual cues, gestures, etc., and like conventional video conferencing systems, are generally limited in the richness of the data that can be exchanged.

5

Moreover, the suggestion of extending traditional videoconferencing capabilities from conference centers, where groups of participants are assembled in the same room, to the desktop, where individual participants may remain in their office or home, does not facilitate the interactive sharing of data in the form of text, images, charts, graphs, recorded video, screen displays and the like. Such systems attempt to add computing capabilities to a videoconferencing system, rather than adding multimedia and collaborative capabilities to the user's existing computer system. The same disadvantages apply to augmented video conferencing systems with limited "video mail" capabilities. While useful in limited contexts, these systems do not provide the capabilities for maximally effective collaboration.

15

20

25

10

Conversely, audio and video capture and processing capabilities have been integrated into desktop and portable personal computers and workstations. These capabilities have been used primarily in desktop multimedia authoring systems for producing CD-ROM and DVD-ROM based works. While such systems are capable of processing, combining and recording audio, video and data locally, i.e. at the desktop, they do not adequately support networked collaborative environments, principally due to the substantial bandwidth requirements for real-time transmission of high-quality, digitized audio and full-motion video which preclude conventional local area networks (LANs) from supporting more than a few workstations or personal computers. These systems do not adequately address the problems inherent in a practical implementation of a scalable collaboration system.

30

Examples of high-quality video multimedia collaboration systems are described in U.S. Patent No. 5,617,539 and Patent Cooperation Treaty Application Numbers PCT/US99/01789 and PCT/US98/23596. As the use of these video-oriented multimedia collaboration systems becomes more common, and as multimedia collaboration systems support ever-greater numbers of users, users and/or system administrators will require system usage, diagnostic, performance, and cost monitoring capabilities. Such capabilities may include, for example, the ability to determine the source of system errors, the generation of statistics detailing manners

in which particular system resources are utilized and the generation of usage statistics for one or more users relative to a given time period. To date, however, multimedia collaboration systems have provided limited and generally inflexible system monitoring and reporting capabilities. A system is needed that provides an expansive and flexible monitoring and reporting capability to facilitate the management of multimedia collaboration systems. It is to this end that the present invention is directed.

1.

5

10

15

20

25

30

#### SUMMARY OF THE INVENTION

The present invention provides a scalable, evolvable, flexible, and architecturally accommodating system and method for a wide range of potential reporting functions of value in multimedia collaboration systems or other complex networked systems. The system and method herein are particularly advantageous in that they can be applied to a wide variety of systems of arbitrary levels of scale and decentralization and provide a wide range of information on usage, operations, costs, and failures in a wide variety of standard or custom report or query formats servicing the wide ranging needs of usage monitoring, planning, billing and accounting, maintenance, diagnostics, reconfiguration study and design.

In an aspect of the invention, a multimedia collaboration reporting system for use in at least one underlying multimedia collaboration system network is provided. The system includes an event monitoring module for monitoring any of internal network system events, external network system events and service events, a database module for recording the monitored events and a reporting module for receiving query parameter information and for generating a report in accordance with the query parameter information.

The system architecture is such that any of the event monitoring module, the database module and the reporting module may be centralized to the underlying multimedia collaboration system network. Alternatively, any of the event monitoring module, the database module and the reporting module are decentralized from the underlying multimedia collaboration system network. In such case, the decentralization of any of the modules may result in a system architecture that reflects an architecture of the underlying multimedia collaboration system network.

10

15

20

25

30

Advantageously, the database may comprise a plurality of localized databases, each configured to store monitored event information from a predetermined multimedia collaboration system network and a centralized database configured to centrally maintain the stored information from each of the plurality of localized databases. Alternatively, the database may comprise only a centrally located database configured to maintain the monitored event information.

The reporting module is configured to generate either standard or customizable reports about the multimedia collaboration system network in response to database query parameter information and may include a web-based interface providing for web-based query and response interactivity such that a database query can be formulated and provided via the Internet.

In another aspect of the invention, a multimedia collaboration system for conducting a conference among a plurality of participants is provided. The system includes a multimedia collaboration system network having a plurality of workstations each having a monitor for displaying visual images and A/V capture and reproduction capabilities for capturing and reproducing video images and spoken audio of the participants, a data network providing a data path along which data can be shared among the plurality of the workstations a data conference manager for managing the sharing of data between the plurality of workstations. Additionally, the system includes an independent reporting system connected with the multimedia collaboration system network and configured to provide reporting analysis of the multimedia collaboration system network. The independent reporting system includes a network control system configured to monitor any of internal, external or service event information affecting the multimedia collaboration system network, a database configured to store the monitored event information, a database query system configured to format a database query according to query parameter information and to query the database in accordance with the database query parameter information and a report generation system configured to generate an analysis report from the monitored event information stored in the database in accordance with the database query parameter information.

In another aspect of the invention, a method for generating reports identifying multimedia collaboration system events includes monitoring any of internal network

system events, external network system events and service events and recording the events to a database, querying the database with a set of query parameter information to generate an analysis report and generating the analysis report in accordance with the query parameter information.

5

10

20

25

30

In still another aspect of the invention, a reporting system is provided including a network control system configured to monitor any of internal, external or service event information of a multimedia collaboration system network, a database configured to store the monitored event information, a database query system configured to format a database query according to query parameter information and to query the database in accordance with the database query parameter information and a report generation system configured to generate an analysis report from the monitored event information stored in the database in accordance with the database query parameter information.

(B)

#### 15 BRIEF DESCRIPTION OF THE DRAWINGS

Fig. 1 is a block diagram of an exemplary multimedia collaboration system;

Fig. 2 is an illustration showing an exemplary networked organization of multimedia collaboration systems;

Fig. 3 illustrates some example general high-level call events that can be captured from within multimedia network environments;

Fig. 4 is a block diagram showing an exemplary implementation for a reporting environment in a multimedia network environment, such as that shown in Fig. 1;


Figs. 5A-C are respective block diagrams illustrating exemplary implementations for handling the inherent decentralization of reporting environments in multimedia network environments in accordance with the invention;

Fig. 6 is a block diagram illustrating an example of the operational interactions between various hardware, software, and database component in accordance with an embodiment of the present invention;

Figs. 7A and 7B are respective exemplary database structures showing record and field definitions for use in event logging in accordance with the invention;


Fig. 8 depicts a general connection environment useful for defining various call types and database fields that are associated with records for such call types;

20



- Fig. 10 is an example of a user interface for importing database records to the multimedia collaboration system in accordance with the invention;
  - Fig. 11 is an example of a user interface for deleting database records from the multimedia collaboration system in accordance with the invention;
  - Fig. 12 is an example of a menu of report choices selectable by a user for generating standard reports from the multimedia collaboration system in accordance with the invention;
- 10 Fig. 13A is an example of a set-up interface for determining report generation parameters for generating a calls between users report in accordance with the invention;
  - Fig. 13B depicts an exemplary report of calls among all or specified users in accordance with a set of reporting parameters established in the set-up interface of Fig. 13A according to the invention;
- Fig. 14A is an example of a set-up interface for determining report generation parameters for generating a user call detail report in accordance with the invention;
  - Fig. 14B depicts an exemplary report of user calls in accordance with a set of reporting parameters established in the set-up interface of Fig. 14A according to the invention;
  - Fig. 15A is an example of a set-up interface for determining report generation parameters for generating a number of calls completed by user report in accordance with the invention;
  - Fig. 15B depicts an exemplary report of the number of calls completed by a user in accordance with a set of reporting parameters established in the set-up interface of Fig. 15A according to the invention;
- Fig. 16A is an example of a set-up interface for determining report generation parameters for generating a number of calls completed by time period report in accordance with the invention; Fig. 16B depicts an exemplary report of the number of calls completed by time period in accordance with a set of reporting parameters established in the set-up interface of Fig. 16A according to the invention;
- Fig. 17A is an example of a set-up interface for determining report generation parameters for generating a call duration report in accordance with the invention;
  - Figs. 17B-17D depict respective exemplary reports of call duration in accordance with a set of reporting parameters established in the set-up interface of Fig. 17A according to the invention;

invention:



- Fig. 18B is an example of a network availability by number of calls report in accordance with a set of established reporting parameters according to the invention;
- 5 Fig. 18C is an example of a network availability by percentages of calls report in accordance with a set of established reporting parameters according to the invention;
  - Fig. 19A is an example of a set-up interface for determining report generation parameters for generating a total device usage by number of calls report in accordance with the invention;
  - Fig. 19B is an example of a device usage by number of calls report in accordance with a set of reporting parameters established by the set-up interface of Fig. 19A according to the invention;
  - Fig. 20A is an example of a set-up interface for determining report generation parameters for generating a total device usage by duration report in accordance with the invention;
  - Fig. 20B depicts an exemplary device usage by duration report in accordance with a set of reporting parameters established by the set-up interface of Fig. 20A according to the invention;
- 15 Fig. 21A is an example of a set-up interface for determining report generation parameters for generating a total device usage by time period report in accordance with the invention;
  Fig. 21B depicts an exemplary total device usage by time period report in accordance with a set of reporting parameters established by the set-up interface of Fig. 21A according to the
- Fig. 22A depicts an exemplary conference center usage by numbers of uses report according to the invention;
  - Fig. 22B depicts an exemplary conference center usage by cumulative time used report according to the invention;
- Fig. 22C depicts an exemplary conference center busy by percentage of attempted uses report according to the invention;
  - Fig. 22D depicts an exemplary conference call availability report according to the invention;
  - Fig. 22E depicts an exemplary trunk busy report according to the invention;
  - Fig. 23 is an example of a menu from which a user may select a variety of user-defined custom reports in accordance with the invention;
- Fig. 24 is an example of a custom report interface for saving custom reports in accordance with the invention; and
  - Fig. 25 is an example of a custom report save notification interface for indicating the success or failure of a saved report request in accordance with the invention.

10

15

20

#### DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT

The present invention provides a scalable, evolvable, flexible, and architecturally accommodating system and method for a wide range of potential reporting functions of value in multimedia collaboration systems or other complex networked systems. The system and method herein are particularly advantageous in that they can be applied to a wide variety of systems of arbitrary levels of scale and decentralization and provide a wide range of information on usage, operations, costs, and failures in a wide variety of standard or custom report or query formats servicing the wide ranging needs of usage monitoring, planning, billing and accounting, maintenance, diagnostics, reconfiguration study and design.

An aspect of the present system and method is to provide a powerful framework for arbitrary degrees of standard and customized report generation and access, including web-based access, for networked systems spanning a wide range of network configurations, architectural variations, evolving technologies, evolving services, and entities attached to the networks.

Fig. 1 is a block diagram illustrating a conventional video-oriented multimedia collaboration system 99 such as is shown and described in U.S. Patent No. 5,617,539, entitled "Multimedia Collaboration System with Separate Data Network and A/V Network Controlled by Information Transmitting on the Data Network," and issued to Ludwig et al., on April 1, 1997, which is incorporated herein by reference. While a video-oriented multimedia collaboration system 99 is shown in Fig. 1, it should be noted that the present invention is applicable to any multimedia collaboration system or other networked system and the above Figure is merely exemplary and is not intended to be limiting.

25

30

As shown in Fig. 1, the multimedia collaboration system 99 includes a number of component entities, including a plurality of user workstations 40, a multimedia local area network (MLAN) 10, a conference bridge or center 36 (a hardware device for audibly and visually connecting multiple parties to a conference), an A/V storage server 100, a LAN 20 coupled to a gateway 25 and a first wide area network (WAN) 29, and an A/V codec 38 coupled to a second WAN 39. These component entities will be described in more detail herein.

10

15

20

25

The MLAN 10 comprises an A/V switch 32 and an A/V network manage r (AVNM) 34 or similar managing system or other call/connection control entity whose function will be described in detail herein. The user workstations 40 are connected with the system 99 via the A/V switch 32 resident in the MLAN 10. The A/V switch 32 also couples the MLAN 10 to the A/V storage server 100, as well as coupling the second WAN 39 to the MLAN 10 via codec 38 (an integrated circuit for performing data conversion). The first WAN 29 is connected to the LAN 20 via the gateway 25. The LAN 20 is in communication with the AVNM 34 thereby affording network management to the LAN 20. The LAN 20 also functions to couple additional enterprise computers 60 and e-mail/voice-mail application functionality 50 to the system entities connected therewith.

The A/V storage server 100 may be coupled to or otherwise in communication with the network, such as via the switch 32. Such embodiments are described in Patent Cooperation Treaty Application Numbers PCT/US99/01789 and PCT/US98/23596 and are hereby incorporated herein by reference. Briefly, the A/V storage server 100 includes an A/V storage manager 160 for coordinating requests for the storing and playing back of video data and the like, and one or more A/V storage cells 120 configured to store video data and other supplemental information. These cells 120 may be either directly connected to the storage manager 160 (represented as reference numeral 112) or connected with the storage manager 160 via a data LAN 110 that also serves to couple external systems to the network.

In the conventional system shown in Fig. 1, the A/V switch 32 facilitates selective coupling between user workstations 40, the LAN 20, and the codec 38. The A/V switch 32 may also facilitate direct coupling to one or more other multimedia collaboration systems 99. Therefore, workstation users can communicate with each other via multimedia conferencing, such as is described in U.S. Patent No. 5,617,539. Other similar network configurations are also possible and provided for by the invention.

In operation, the AVNM 34 generates event or reporting records in response to a variety of system events. Exemplary types of events for which reporting records are generated, and information included in such reporting records, will be described in detail herein. The following exemplary events that are monitored by the system are largely oriented towards internal and external networks, but in general may also apply to connected service entities.

Such events may include server startup and shutdown events. For example, each startup and shutdown record may include startup time, shutdown time, any applicable error code and any associated error string as well as other additional information.

Another event that may be monitored by the system includes user login and logout events. For example, each user login and logout record may include a user ID, a login or logout time as appropriate, and possibly client platform, client type, client operating system version, client collaboration system software version, and other supplemental information. Additionally, aliases are provided for so that a user can associate a different login ID when desired.

5

10

15

20

25

30

Call events may also be monitored by the system. For example, each call record may include a caller or calling party ID, a call session ID, a caller terminal port ID, a caller mode description, a caller codec ID, a caller trunk port number, a callee ID, a callee terminal port ID, a callee mode description, a callee terminal ID, a callee codec ID, a callee trunk port ID, a starting time stamp, and a completion time stamp.

In addition, call error events may be monitored by the system. For example, each call error record may include information detailing call failures for reasons such as trunk unavailability, gateway failures, etc., and typically may include a session and/or call ID and timestamp information.

Another event that may be monitored by the system includes service events. For example, each service record may include details specifying service resources and typically may include a session ID and timestamp information.

Service error events may also be monitored by the system. For example, each service error record may include details specifying service resource problems, operational errors and typically may include a session ID and timestamp information.

In accordance with the invention, call records affiliated with multi-party calls and multi-point broadcasts may be associated through the utilization of a common session ID. Similarly, service records for sessions and events pertaining to services outside the scope of the network

20

25

30



itself, such as video storage services, may also be associated with corresponding calls and call events through the use of a common session ID. For example, in an embodiment of the invention, a session may be defined as a time interval that begins when system or conference center resources are allocated for a new call that is not associated with a call currently in progress. Accordingly, the session is defined to end when the resources that are allocated in association with the call are freed for others to use. It should be noted that the addition of new callers to an existing two-party call to form a multi-party call falls within the context of an already-existing session.

In accordance with the invention, the AVNM 34 creates a new session ID each time resources are allocated for a new call that is not associated with a call currently in progress. For example, in an embodiment of the invention, the AVNM 34 transfers or propagates session IDs to other AVNMs 34 and remote clients 40, 45. Thus, when a new party is added to an existing call, the AVNM 34 associated with the calling party transfers the existing session ID to the

AVNM 34 associated with the callee. The session ID stored within each call record associates multi-step calls and/or calls made on different collaboration systems, such as when a third party is added to a two-party call.

The present invention is equally applicable to a networked environment of multimedia collaboration systems 99, either provided locally or in a wide-area sense. Fig. 2 is an illustration of an exemplary networked organization 199 of multimedia collaboration systems 99, such as that shown in Fig. 1. As the scope of such systems expand and as costs are incurred for equipment and telecommunications services, a number of needs emerge for reporting functions that provide information on the usage, operations, costs, and failures of the associated networked organization of multimedia collaboration systems 199, the individual multimedia collaboration systems 99 and their components. These reporting functions can be utilized for usage monitoring, planning, billing and accounting, maintenance, diagnostics, reconfiguration study and design, as well for other diagnostic and application-specific purposes.

Because of the resulting wide range of potential reports which could prove beneficial, the present invention provides a framework for arbitrary degrees of standard and customized report generation and access. These reports can be generated by gathering information from throughout the network 199 and from the entities connected to it. As such, the reporting

system framework of the invention can accommodate the wide range of network configurations, architectural variations, evolving technologies, evolving services, and entities attached to the networks 199.

5

10

15

20

25

30

Architecturally, the reporting function of the present invention can be treated as a general form of service supported and provided by a server. In accordance with the invention, an implementation of the reporting server 210 may be centralized or decentralized and take on a variety of forms that will be explained in detail herein. For example, a report server 210 working in conjunction with a report database 200 may be provided for managing the reporting functions of these systems. In accordance with the invention, the report server 210 and the report database 200 may be added to an individual multimedia communications system 99 or also to a networked organization 199 of individual multimedia communications systems 99 so as to provide reporting services to administrative computers or user workstations 40 within one or more multimedia collaboration systems 99. The reporting server 210 may be coupled to one or more multimedia collaboration systems 99 directly, and/or via an intranet or even the Internet 80, such as is shown in Figs. 1 and 2. Those skilled in the art will understand that a reporting server 210 and a reporting database 200 may be implemented on a single computer system or in any number of decentralized fashions without departing from the invention.

Fig. 3 illustrates some examples of high-level call events that can be captured from within multimedia network environments 199, 99 and which may be monitored by the multimedia collaboration system environments 199, 99 so that diagnostic and other informative reports may be generated. To best illustrate these examples of high-level call events, a two-party point-to-point WAN 281 call between two users 262, 272 each on separate local (or "internal") networks 261, 271 that are connected by the WAN 281 by means of gateways 263, 273 is illustrated in Fig. 3.

As shown in Fig. 3, network control entities, such as AVNMs 260, 270 govern the exchange of exemplary system control messages. Examples of such control messages may include connection request messages, remote network manager server requests, callee requests, acknowledgement messages, and connection establishment messages. Of course other control messages may be provided and the above are merely exemplary.

It should be noted that no single entity of the users 262, 272 and network control entities 260, 270 provide for full accounting of all the message transactions between the entities involved in a communication link. Thus, in accordance with the invention, a report server 210 can be provided (such as shown in Fig. 2) to retrieve the information from the multiple entities. Additional system services may be added to the architecture shown in Fig. 3. For example, such additional services may include network-oriented services, such as multipoint conferencing or event video broadcast, or be provided by attached entities such networked video storage servers, such as that described in Patent Cooperation Treaty Application Numbers PCT/US99/01789 and PCT/US98/23596. In these expanded situations, the number of decentralized entities, control messages, and potential points of failure and billing increase, making reporting more valuable while at the same time making the event logging tasks more complex.

Fig. 4 is a block diagram showing an exemplary implementation for a reporting environment in a multimedia network environment, such as that shown in Fig. 1. In general, such multimedia network environments include not only a "focus" or "internal" network 201 but also one or more external networks 202. These external networks 202 may include networks similar to the internal network 201 or they may include networks which are completely dissimilar (such as a public WAN). In addition, the multiple networks 201, 202 are typically used directly or indirectly to provide various services to users. In some cases the services (such as transport) may be provided directly by the network(s), while in other cases the services may be provided in whole or in part by external service-providing entities 203 (such as stand-alone video-on-demand systems).

In accordance with the invention, in a call-reporting environment, each of the networks and service entities 201, 202, 203 provides some information either directly (such as event logs) or indirectly (such as WAN call progress signals) which can be accessed as used for reporting purposes. This information can be provided in real-time and/or through later bulk information transfers (such as a monthly WAN report file). The information is then formatted by a system 204 configured to format the data into a format usable within the reporting system. The formatting step(s) may be performed in a centralized or a decentralized fashion. The resultant information formatting may be automatic, manual, or a combination of the two. The formatted information may then be loaded into a database 200. The database 200 may be

centralized or decentralized, and the information loading may be automatic, manual, or a combination of the two. In accordance with the invention, the information in the database 200 can then be queried, processed and reported in a number of ways.

For example, in accordance with the invention, one way the information in the database 200 can then be queried, processed and reported is through use of standard report generation. To implement standard report generation, a standard report filter/formatter 206 may be provided. As utilized herein, a standard report filter/formatter 206 refers to one or more fixed, conditional, or parameterized report templates 207. A report template 207 (and any conditional or parameterized choices therein) may be selected according to the report or reports desired by a user of the reporting system.

5

10

15

20

25

30

The selection and subsequent generation of reports may be driven by report request events 220. For example, these requests may be generated by users directly or automatically as part of a script and/or a calendar-driven automated procedure. Based on the information requested by the report template 207, queries can be made from the standard report filter/formatter 206 to the database 200. In some cases, the data from the database 200 can be placed directly into fields in the template or some equivalent implementation of this action. In other cases, calculations such as sums, averages, ratios, etc., and/or conditional tests (such as <, >, =, etc.) may be performed. In accordance with the invention, these calculations may be done within the standard report filter/formatter 206 or by an external calculation module 208. The calculations may include billing operations, which involve additional information such as billing rates, billing algorithms, etc., which in turn may be part of the standard report filter/formatter 206, may be provided by the calculation module 208, by a separate repository entity 240, or explicitly provided as part of the report request event 220. In the case where a separate repository entity 240 may provide the calculations, the separate repository entity 240 may communicate directly with a calculation module 208 and/or directly with the standard report filter/formatter 206.

In any case, in accordance with the invention, the standard report filter/formatter 206 may use the queried, calculated, and conditionally-tested information to create one or more reports 209a -209n. It should be noted that a single report request 220 and/or single report template 207 could result in the generation of more than one report 209.

In accordance with the invention, the reports generated in this manner may be presented to a user via a user interface (which will be described in detail herein) and/or printed (i.e., for direct human consumption) or in the form of machine-readable files (that can be subsequently processed or stored in the database 200). Further, in accordance with the invention, to the extent that aspects of the standard reports can be enabled/disabled by any parameters provided by the report requests 220, the standard report filter/formatter 206 can also be used to customize reports to various degrees.

For example, as shown in Fig. 4, flexible general templates 212 (for machine readable report files or human-readable reports) may be submitted to a general filter/formatter 216. These templates 212 are often more parameterized and/or conditionally structured than the standard report templates 207 but need not be so structured. In accordance with the invention, the general templates 212 may consist of strings of a combination of query, conditional, calculation, and formatting instructions. It should be noted that the general filter/formatter 216 could also be provided with additional support entities such as calculation module 208, separate repository entities 240, etc., without departing from the invention. The general filter/formatter 216 could also be further controlled by report request events 220 akin to those utilized by the standard report filter/formatter 206 and described above.

20

25

30

5

10

15

In accordance with the invention, an SQL interface module 226 may be provided for accepting and processing general SQL queries 215 from an external system and for providing reports 216 to an external system. It should be noted that the SQL module 226 could also be provided with additional support entities such as calculation module 208, separate repository entities 240, etc., without departing from the invention.

Those skilled in the art will recognize that aspects of the standard report filter/formatter 206, general filter/formatter 216 and/or SQL module 226 may be integrated as may prove advantageous for an implementation. Therefore, in accordance with the invention, the reporting functionality of the system may be customizable depending on the needs of a user. It should be further understood that additional support entities and functions, such as calculation modules 208 or separate information processing algorithm repositories 240 may be shared across any combination of the standard report filter/formatter 206 function, the general

10

15

20

25

30

filter/formatter 216 function, and/or the SQL interface module 226 function as may prove advantageous for an implementation without departing from the invention.

Figs. 5A-C are respective block diagrams illustrating exemplary implementations for handling the inherent decentralization of reporting environments in multimedia network environments in accordance with the invention. In general, multimedia network environments include a number of decentralized entities acting as event sources (shown in Figs. 5A-C as reference numerals 282a - 282k). Figs. 5A and 5B illustrate exemplary implementations in which each event source may be served directly or indirectly by individual "local" databases 285a - 285k. These databases may be geographically local, or may be individual for functional reasons. In Fig. 5A, the individual "local" databases 285a - 285k may pass on their updated information by pull or push models, polled or event driven, to a centralized database 295 which in turn may be queried by a query/filter/format module 286 that may be designed to work with the centralized database 295. In Fig. 5B, the individual "local" databases 285a -285k may be queried directly by a query/filter/format module 286 that may be designed to work with multiple databases 285a - 285k. In Fig. 5C, each event source 282a - 282k may directly provide their updated information to a centralized database 295 which in turn may be queried by a query/filter/format functions 286 that may be designed to work with the centralized database 295. Those skilled in the art will recognize that a combination of the above implementations may be utilized to customize the reporting system to reflect functional and architectural advantages without departing from the invention.

The interaction between components of the reporting system of the invention will now be described with reference to Fig. 6. Fig. 6 is a block diagram illustrating an example of the operational interactions between various hardware, software, and database components in accordance with an embodiment of the present invention in which a web-based interface implementation is utilized. As shown in Fig. 6, in accordance with the invention, the AVNM 34 and/or the A/V Conference Center Manager (ACCM) 35 may be configured to generate and write reporting or event records into a log file 510 that is managed by a database 200. The database 200 may be implemented using small-scale database products such as Microsoft Access, or in larger-scale applications or where decentralization dictates, other database technologies may be utilized without departing from the invention.

A log file export unit 520 may be configured to retrieve these stored event records from the log file 510 under the direction of one or more objects instantiated from a log class file 530. In turn, the log class file 530 may be configured to write records into the database 200 and may perform some preprocessing and/or initial parsing upon event record data prior to performing a database write operation. The log class file 530 may also control or direct periodic import operations in conjunction with a configuration file (not shown), such that event records stored in the database 200 can be retrieved and the database 200 can be updated on a regular basis.

In accordance with the invention, the web-based interface implementation depicted in Fig. 6 includes a request class file 550 having an HTML page processing unit 560, a report display unit 570, and a custom report unit 580. The request class file 550 pro vides HTML page templates for performing database management operations, and for generating and saving a wide variety of reports. The page processing unit 560 performs database management and/or database query operations in response to user requests. For example, the page processing unit 560 may retrieve database information in response to a user request including a set of report parameters. As will be described in more detail herein, users accessing the reporting system may specify report parameters via a set-up interface. The page processing unit 560 may filter the results of the database query operation in accordance with one or more such report parameters. The report display unit 570 generates a report in accordance with the userspecified report parameters. The custom report unit 580 facilitates the saving of user-defined reports to the database 200. It should be noted that the present invention accommodates the creation of user groups. User groups are simply aggregates of real users, aliases and other user groups. Thus, when choosing query criteria, a user can select a combination of user groups, users and/or aliases to report against.

25

30

5

10

15

20

The remaining components shown in Fig. 6 include a manager class file 590 that is a parent of the log class file 530 and the request class file 550, and which provides an interface between request class file elements 560, 570, 580 and an intranet and/or the Internet 80 so that a user may access the system. In accordance with the invention, user requests and commands to the system may include data management commands, standard report generation requests, and custom report generation requests.

Figs. 7A and 7B are respective exemplary database structures (referred to generally as reference numerals 300a (Fig. 7A) and 300b (Fig. 7B)) showing record and field definitions for use in event logging in accordance with the invention. Certain fields in the database schema are composed of data types. Those skilled in the art will recognize that other types of record structures may be used without departing from the invention and that the structures shown in Figs. 7A and 7B are merely exemplary.

10

15

20

25

30

One such exemplary field type may include a Call ID character field that uniquely identifies a call record and any hop (i.e., tandem trunk connections through additional switches) records that are associated with that call record. Another example of a field type may be a URL field, a character string having a general URL format (i.e., cprotocol>://<arguments>) describing a system connection (e.g., video) address. Other field type examples include a Caller field identifying a user at the end point of a call chain from which a call is initiated, a Callee field identifying a user at the end point of a call chain to whom a call is placed and a Caller/Callee Name field. The Caller/Callee Name field identifies a service name associated with each party involved in the call. In some architectures, this aspect could exclude connections placed to specialized entities such as multi-point conference bridges and externally connected servers (such as video storage servers). Calls involving such entities may advantageously use alternate naming conventions in the service name. In some implementations of the system of the invention, the callee name may need to be extracted from the URL, such as in the case of calling H.320 addresses. Another field type example is a Callee vs. Received Call field. This field is utilized for managing multi-party calls. For example, the callee designated in this field may not necessarily be the user that received the call. In some cases the user specified by the caller field is actually the user who received the call. For example, in call forwarding situations where party A calls party B and party A forwards the call to party C, the records for the forwarded call may indicate party C as the caller and party B as the callee.

Fig. 8 depicts a general connection environment useful for defining various call types and database fields that are associated with records for such call types. Fig. 8 illustrates at least six functionally different types of supported calls in a multimedia environment. One such call type involves a direct call between User A 800 and User B 802 on the same switch AVNM1 804 (Call Type 1). Another call type involves a switched call between User A 800 on switch AVNM1 804a and User C 806 on a different switch AVNM2 804b through one or

more trunks 808 (Call Type 2). A third call type involves a call from User A 800 to Outside Caller D 810 using a gateway on the same switch AVNM1 804a (Call Type 3). Another call type involves a call to User A 800 from Outside Caller D 810 using a gateway on the same switch AVNM1 804a (Call Type 4). Yet another call type involves a call from User A 800 to Outside Caller E 812 using a gateway on a different switch AVNM2 804b (Call Type 5). Finally, a sixth call type involves a call to User A 800 from Outside Caller E 812 using a gateway on a different switch AVNM2 804b (Call Type 6).

5

10

15

20

25

30

It should be noted that call types can be extended to include other types of connections, such as broadcast and multiple service interconnection (as in conference recording of a multi-party call which in turn includes as one of its "participants" another video service such as video-on-demand or video-mail) as may be supported by the network without departing from the invention.

Such call type classification schemes can advantageously be used to differentiate the structure call records in accordance with the invention. For example, the number of fields necessary to characterize a call of Type 1 are far fewer than that needed to characterize a call of Types 5 or 6. Some information may be recorded similarly for all call types. For example, in all cases a global unique ID is created for each call (such as by the originating AVNM).

Some exemplary structural variations depending on call type may include a CALL record for maintaining Caller info, Callee info, End-reason information, trunk/gateway information, and next-hop information (if the AVNM is not a destination). If a call involves more than one AVNM, then non-originating AVNMs may log a HOP record to the database 200 that may include a global unique ID, trunk/gateway information and next-hop information (if the AVNM is not a destination).

For multi-point calls, a CONFERENCE record may be logged to the database 200 that may include a Conference Session Unique ID, Conference name information, Start time information, End time information and an AVNM ID. A PARTICIPANT record may also be logged to the database 200 that may include a Conference Session ID, a Call ID, Slot number information and Reason information.



The following represent examples of database entry tables that may be utilized by the system for organizing reporting information in accordance with the invention. Some database entry tables may include call tables and the hops involved in placing calls, multi-point conference bridges and the associated conference participants, arbitrary services, arbitrary servers, sessions and logins. Of course different structures, additional tables, and additional or alternate types of information may be gathered in a variety of ways as is understood by one skilled in the art without departing from the invention.

The following table illustrates an example of a call table described above.

	Field		Ty	Comments	Time
		pe			Added
	Call ID		Stri	Unique ID for the call, ID is identical for	Record
		ng		the call and hop record(s) that comprise the call, forty character field.	Created
	Server		Stri	Ex. Machine.domain.com	Record
Name		ng			Created
	Call		Stri	LAN, WAN:Dedicated, WAN:Dial	
Class		ng			
	Caller		Stri	Name of the Caller's service at the time	Call Start
Name		ng		this record is created. For point calls, this field will	
				be updated at the point the actual name arrives.	
				Exs. Sylvia Brown	
				Conference Center	
				Media Server	
i 					



Caller	Str	URL of the caller's address.	Call Start
URL	ng	Ex. Avnm://machine.domain.com	į
		h320://psn/12025551234;name="Sylvia Brown"	
Caller	Sta	(Conference, AVDM, ACCM, amsm,	Call Start
Application	ng	Viewer, unknown}	
Caller	Str	ri Windows login name of user.	
Login Name	ng	Ex. sbrown	
Caller	St	User, Outside User, Media Server,	
Service	ng	Conference Center, Broadcast, Device	
In	St	Only present for incoming outside call	Call End
Gateway Type	ng	{Tandberg, UTP, RSI }	
In	St	Only present for incoming outside call.	
Gateway Class	ng	{LAN, DIAL, DEDICATED}	
In Trunk	St	Ex. "tanl"	
Name	ng		
In	St	Only present for incoming outside call	Call End
Gateway URL	ng	Ex. H320://psn/+12025551234	
Call	Nı	$\{NONE = 0, RECEIVE = 1, SEND = 2, \}$	Call End
Mode	mber	RECEIVE&SEND = 3}	
Receive	Во	Did the caller receive this call?	Call Start
d Call	olean		

1	Stri	As caller Name	Call Start
ng			
1	Stri	As caller URL	Call Start
ng			
	Stri	User, Outside User, Media Server,	
ng	c	Conference Center, Broadcast, Device	
	Stri	As incoming Type	Call End
ng			
	Stri	{LAN, DIAL, DEDICATED}	
ng			
	Stri	Ex. "tan1"	
ng			
+	Stri	As incoming URL. (may also contain	Call End
ng	av	vnm addresses besides h320 addresses)	
<del> </del>	Stri	Ex. Machine.domain.com	Record
ng			Created
	Ti	1,	Record
me			Created
	Ti	Null if never accepted	Accept
me			
1	Ti		Call End
me			
	Stri	{Hangup, Error, Forwarded, Redirected,	Call End
ng	C	ollapsed}	
	ng ng ng ng me me	ng Stri ng Stri ng Stri ng Stri ng Stri ng Ti me Ti me Stri	Stri As caller URL  Stri User, Outside User, Media Server, Conference Center, Broadcast, Device  Stri As incoming Type  Stri (LAN, DIAL, DEDICATED)  Stri Ex. "tan1"  ng  Stri As incoming URL. (may also contain avnm addresses besides h320 addresses)  Stri Ex. Machine.domain.com  Ti me  Ti Null if never accepted  me  Stri (Hangup, Error, Forwarded, Redirected,



Ancestor	Stri	Previous ID if call was F orwarded,	Call End
Call ID	ng	Redirected or Collapsed.	
End	Nu	If Ending Event is an error, contains the	Call End
Reason	mber	error reason. (would also like the error location)	

The following table illustrates an example of an associated hop table described above.

Field		Ту	Comments	Time
	pe			Added
Call ID	<u> </u>	Stri	40 character field that maps to the	Record
	ng	ì	responding Call Record and any corresponding precords.	Created
Server	-	Stri	Ex. Machine.domain.com	Call End
Name	ng			
In		Stri	Refers to gateway on the side of the	Call End
Gateway Type	ng	pre	evious hop or call record.	
In	<del> </del>	Stri	{LAN, DIAL, DEDICATED}	
Gateway Class	ng			
In Trunk	-	Stri	Ex. "tan1"	
Name	ng			
In	-	Stri		Call End
Gateway URL	ng			
Callee		Stri	Only present on last hop	Call Start
Name	ng		·	
Callee	<del>                                     </del>	Stri	Only present on last hop	Call Start
Video Address	ng			



Callee		Stri	Only present on last hop	Call Start
Application	ng			
Callee		Stri	Only Present on last hop	
Login Name	ng		Windows login name of user.	
			Ex. sbrown	
Receive		Bo	Only present on last hop. Did this user	Record
d Call	olean	rec	eive this call?	Created
Out		Stri	Refers to gateway on the side of	Call End
Gateway Type	ng	sub	sequent hop or call record.	
Out		Stri	{LAN, DIAL, DEDICATED}	
Gateway Class	ng			
Out		Stri	Ex. "tan1"	
Trunk Name	ng			
Out		Stri		Call End
Gateway URL	ng			
Next		Stri	Ex. Machine.domain.com	Call Start
Hop Server	ng			
End		Nu	The ending event is stored in the hop	Call End
Reason	mber	rece	ords as some errors are remapped by the time it	
		get	s to the call record (losing the original, more	
		spe	cific error)	

The following table illustrates an example of a multi-point conference bridge table described above.

	Field	T	Ty	Comments
		рe		
	Conf		Stri	A 40 character unique ID to identify this
Session	ID	ng		session.
	Server		Nu	Ex. Machine.domain.com
Name		mber		
	Conf		Stri	Ex. Default:4
Device	Name	ng		
	Start	<u> </u>	Ti	Time when the request was made to find a
Time		me		Conference Center.
	End		Ti	Time when the conference ended.
Time		me		
	End		Nu	PVW error code.
Error		mber		
	End		Stri	If End Error is 0, this contains the reason
reason		ng		for the call ending.
		-		{"Adjourned", "Collapsed", "Only 1
				Participant", "No RS User", "All Busy"}

The following table illustrates an example of an associated conference participant table described above.

Field		Ty	Comments
	pe		
Conf		Stri	Matches the corresponding value in the
Session ID	ng		Conferece Record.



Call ID		Stri	Identifies the Call Record associated with
	ng		this participant.
Participa		Stri	Name of participant
nt Name	ng		
Participa		Stri	URL of Conference Center port of
nt URL	1	_	participant
IN OKE	ng		participant
Inviter	-	Stri	Call ID of participant that added this user
ID	ng		to the conference. In the case of the originator this
			will be their own call ID.
Slot		Nu	{-1,0,1,2,3} 0 thru 3 are the users displayed
Number	mber		in the quad1 is a user viewing the conference on
			the broadcast port.
IsOrigin		Во	True for the one participant who started the
ator	ol		conference call.
Active		Во	Does this user have a TCP connection to
Participant	ol		the ACCM.
Start		Ti	When a slot was allocated for this
Time	me		participant.
			p-a
Accept	<del> </del>	Ti	Time when participant accepted call (or if
Time	me		conference center was called, time when it accepted
			call)
D-1		Ti	When the slot for this participant released.
End		11	when the slot for this participant released.
Time	me		
End		Nu	PVW error code
Error	mber		

End	Stri	If the End error is 0, this contains the
reason	ng	reason for the user leaving the Conference.
		{"User Hangup", "Conference Hangup", "Conference Adjourn", "User Adjourn"}

The following table illustrates an example of an arbitrary services table described above.

	Field	<u> </u>	Ty	Comments
		pe		
	Service		Nu	Unique ID that is incremented for each new
Index		mber		service.
	Service		Stri	Name of the service.
Name		ng		Ex "Sylvia Brown"
	Server	<u> </u>	Stri	Ex. Machine.domain.com
Name		ng		
	Session		Stri	ID that matches to the corresponding
Index		ng		session.
	Service		Stri	{ "Any","Videophone","Conference",
Class		ng		"VFSD", "Service", "Admin", "VfsTool", Share",
				"Remote" "wandaemon", "Receptionist",
				"ShareServer"
				"NetMeeting", "Presentation", "Audience"
				"Broadcast", "Stream", "Sink"}
		<u> </u>		

	Login	Stri	The user's Windows login name. This field
Name		ng	will be empty for such services as ACCM and
			AVDM.
	Service	Stri	Ex. Sonic
Port		ng	
	- <u>-</u>		
	Start	Ti	Time at which service was created.
Time		me	
		m:	
	End	Ti	Time when the service logged out or
Time		me	disconnected.

The following table illustrates an example of an arbitrary servers table as described above.

	Field	Ту	Comments
		pe	
	Server	Nu	Unique ID beginning at 0 for each Server
Index		mber	Name and type pair.
	Server	Stri	Ex. machine.domain.com
Name		ng	
	Location	Stri	Ex. "Redwood Shores 3 <sup>rd</sup> floor"
		ng	
	Server	Stri	{ "Avistar Video Network Manager",
Type		ng	"Avistar Conference Center Manager", "Avistar
			Video Device Manager", "Avistar Media Server"}

The following table illustrates an example of a session table as described above.



	Field		Type	Comments
Index	Session	g	Strin	A 40 character unique field that uniquely identifies this session.
Name	Server	g	Strin	Ex. Machine.domain.com
Index	Server	ber	Num	Queried for and filled in by ACLM by querying the server table with the se rver name.
Version	Server	g	Strin	Ex. AVNM Version 5.6.b.8, protocol 12.3
Locatio	Server	g	Strin	Ex. "Redwood Shores"
Time	Login		Time	
Heard 7	Last Fime		Time	
Time	Logout		Time	

The following table illustrates an example of a login table described above.

	Field	Type	Comments
	Server	Strin	Ex. Machine.domain.com
Name		g	
	Login	Strin	The name that the user used to log in to
Name		g	their computer.
L			

Appendix A to this specification lists a series of reporting and billing algorithms that may be utilized by the present invention. Of course, those skilled in the art will understand that other implementations of the appended algorithms, as well as additional algorithmic functions relating to information processing for reporting may be utilized without departing from the invention.

In reviewing Appendix A, reference to the following description may be beneficial in order to fully contemplate the scope of the appended algorithms. With regard to calls, Call Records and Hop Records, there is a one-to-one correspondence between calls and Call Records. All data related to a call is defined in one Call Record and zero or more Hop Records. All Call ID values in the Call Record table are unique. All Hop Records associated with a Call Record have the same Call ID as in the Call Record.

15

10

5

With regard to call duration, the duration of a (two-party) call is the Call Record End Time minus the Call Record Accept Time. The duration of a conference call is the Conference Record End Time minus the Conference Record Start Time. The duration of a call into a Conference Center is calculated from the Participant record (i.e., the Participant Record End Time minus the Participant Record Accept Time). It should also be noted that the handling of geographic time zones are provided by the system of the invention. For example, the use of globally implemented "absolute time" (Greenwich Mean Time), or the use of context-specific local time that may be an extension of GMT, may be provided to generate a desired report and to maintain information about the MCS.

25

30

20

With regard to call classification, calls generally fall into three classes: LAN, WAN Dial, and WAN Dedicated. A call is classified as a LAN call when the call has no associated hop records and both the In Gateway Type and Out Gateway Type fields are NULL or when its Out Gateway Type field is UTP, its Out Gateway Class is Dedicated, and all its subsequent hop records have In Gateway Type and Out Gateway Type values that are NULL or UTP. If neither of these conditions are true, then the call is classified as a WAN call. WAN calls are further partitioned into Dedicated and Dial calls based on the contents of the In Gateway Class and Out Gateway Class fields in the Call and Hop records. If the value of either of these fields

in the Call Record or in any Hop Record is DIAL, then the call is classified as a WAN Dial call. Otherwise the call is classified as a WAN Dedicated call.

Callers and callees can be designated as actual users or they can be designated as services, meaning that they do not represent an actual user. This designation is determined by the Caller Service and Callee Service fields. Only "User" and "Outside User" are actual users. All other values indicate services. Services can be the originator of a call only if both the caller and callee of the call are services.

5

Regarding originate vs. receive designation, the caller in a Call Record is designated as the Receiver of the call when the caller is an Actual User and the Received Call field is TRUE, the caller and callee are services and the Received Call field is TRUE or when the callee is a service. The callee in a Call Record is designated as the Receiver of the call when the Callee Class is User or Outside User and the Received Call field is FALSE, the caller and callee are services and the Received Call field is FALSE or when the Caller Name is neither User nor Outside User. The caller in a Call Record is designated as the Originator of the call when the callee is the Receiver. The callee in a Call Record is designated as the Originator of the call when the caller is the Receiver.

20 Call Record and Hop Record completion status can be one of three possible values: not completed due to no allocated resources; not completed due to failure; and available for completion. Several situations result in a Call Record or Hop Record not being completed due to no allocated resources. For example, a Call Record or Hop Record is not completed due to no allocated resources if Local Error Type is "Out" and Local Error is PVW TRUNK NO REMOTE (-54), PVW\_TRUNK\_NOT\_REACHABLE (-59), 25 PVW NO\_TRUNK (-29), PVW\_TRUNK\_IN\_USE (-55), PVW TRUNK GATEWAY RESETTING (-73), PVW TRUNK\_DOWN (-53), PVW TRUNK ISDN DOWN (-63), PVW\_DEDICATED\_LINES\_ARE\_DOWN (-109), PVW SYNC FAILED (-110) or if Local Error Type is "Switch" and Local Error is PVW XBAR BUSY (-76). A Call Record or Hop Record is available for completion if Local 30 Error Type is "In" or if Local Error Type is "Out" and Local Error is PVW\_OK (0), PVW REFUSED (-8) or PVW RING TIMEOUT (-47). A Call Record or Hop Record is not completed due to failure in all other cases.

Call Record and Hop Record have busy status classifications of local, remote, or none.

Call Record and Hop Record busy status is classified as local if Local Error Type is "Out" and Local Error is PVW\_TRUNK\_NOT\_REACHABLE (-59), PVW\_NO\_TRUNK (-29),

PVW\_TRUNK\_IN\_USE (-55), PVW\_TRUNK\_GATEWAY\_RESETTING (-73),

PVW\_TRUNK\_DOWN (-53), PVW\_TRUNK\_ISDN\_DOWN (-63),

PVW\_DEDICATED\_LINES\_ARE\_DOWN (-109) or PVW\_SYNC\_FAILED (-110). Call Record and Hop Record busy status is classified as remote if Local Error Type is "Out" and Local Error is PVW\_TRUNK\_NO\_REMOTE (-54). In any other case, the busy status is classified as none.

Returning now to the specification, users of the reporting system, which may include system administrators, information-privileged users, or general users, may generate requests and commands that are directed to the reporting server 210 via a user interface in accordance with the invention. The reports in turn may be delivered by the same or related user interface. In general, the user interface may be essentially any type of text-based, Graphical User Interface-(GUI) based, networked GUI-based (as with the X Windows system, for example), or web-based interface employing conventional browser-based software such as Netscape Navigator or Microsoft Internet Explorer. For example, in an embodiment of the invention, web-based communication between a reporting server 210 and a set of user workstations 40 can be implemented or facilitated through the use of a conventional Java Servlet engine, conventional web server and web browser software, conventional database driver software, and data export/transfer software.

15

20

25

30

Conventional GUIs often involve one or more user interface implementation environments. Before the establishment of the browser-based World Wide Web, stand-alone custom interactive graphical displays were utilized by systems whose software operated directly in the native window system environment of the desktop computer. These implementations are still those of choice today for applications where performance, non-web usage, or architectural factors motivate or dictate this approach. However, the conventional approach has a number of liabilities including dependence on specific details of window systems, operating systems, and other platform aspects as well as administrative complications in versioning, maintenance, upgrading, etc.

In many situations, particularly where any one or more of networked applications, location independence, platform independence, frequent version upgrades, or access to shared databases are involved, GUIs are increasingly implemented as interactive web-based displays accessed by and operating within the environment of a web-based browser. In these situations, the GUI application software operates within the browser environment and relies on the browser environment to interface in surrogate with the native window system environment of the specific platform.

10 Figs. 9A1-9C2 illustrate alternatives of user interface implementation environments that can be utilized by the present invention. In each of the Figs. 9A1-9C2, a dotted box 601 is used to denote the window system environment of the desktop computer. Figs. 9A1 and 9A2 show respective implementations of application GUIs 602, 603, 604 which operate within the window system environment 601. In Fig. 9A1, the user interface may be provided by a single comprehensive GUI 602. Fig. 9A2 illustrates an alternative case in which one GUI 603 may serve as a principle user interface and launch secondary feature-specific GUIs 604 as needed.

Figs. 9B1 and 9B2 illustrate hybrid interface implementations which combine windows-based GUIs (reference numbers 622 (Fig. 9B1) and 632 (Fig. 9B2)) and web-based GUIs (reference numbers 625, 626 (Fig. 9B1) and 635, 636 (Fig. 9B2)). The web-based application GUIs 626, 636 shown in Figs. 9B1 and 9B2 operate in the browser environment 625, 635, respectively. Depending on the implementation, either the windows-based GUI 622 or the browser based GUI 635 may serve as a principle user interface and launch secondary feature specific GUIs as needed.

25

30

20

5

As shown in Fig. 9C1, with the addition of a browser 605 to the window system environment 601, it is possible to include "web-based" application GUIs 606 which operate in the browser environment 605 as described above. The addition of web-based GUIs 606 permits a number of additional implementation options. For example, the implementation depicted in Fig. 9A1 can be modified to utilize web-based GUIs 606 as shown in Fig. 9C1. Alternatively, when the launch of secondary feature-specific GUIs are involved, such as is shown in Fig. 9C2, window-system GUIs 645, 655 and web-based GUIs 646, 656 can be used in combination with each other.

As mentioned above, the application user interface implementation methods of Figs. 9A1 and 9A2 have been used exclusively in the past, while the implementation methods of Figs. 9C1 and 9C2 are seen as the way of the not-too-distant future. In the interim, combination methods involving arrangements such as depicted in Figs. 9B1 and 9B2 have value in that they deliver or are perceived to deliver higher degrees of performance and security. The present invention can be implemented using any of the interface methods depicted in Figs. 9A1-9C2, as well as in variations clear to those familiar with the art.

Fig. 10 is an example of a browser-based data management interface 1000 for importing records into the database 200 in accordance with the invention. The data management interface 1000 may be configured to execute on a user workstation 40, and is responsive to user-specified input for controlling conditions (indicated as reference numeral 1001) determining how the report server 210 (shown in Fig. 2) updates its associated report database 200.

Fig. 11 is another example of a browser-based data management interface 1100 for deleting records from the database 200 in accordance with the invention. The data management interface 1100 is responsive to, and permits execution of, user input that specifies conditions (indicated as reference numeral 1101) under which all or some reporting records may be deleted from the database 200. In an embodiment of the invention, only a system administrator or information-privileged user can provide valid input to the data management interfaces 1000 (Fig. 10) and 1100 (Fig. 11), respectively. However, other permission schemes and/or hierarchies may be provided without departing from the invention.

25

30

20

5

Fig. 12 is an exemplary menu 1200 from which a user may select a variety of standard reports in accordance with the invention. For example, reports such as calls between users, user call detail, number of calls completed by a user, call duration, total device usage by the number of calls, total device usage by duration, and total device usage by time period may be generated by the reporting system. Examples of these reports will be described in detail herein.

Fig. 13A is an example of a set-up interface 1300 for determining report generation parameters for generating a calls between users report 1350 (shown in Fig. 13B). The set-up interface 1300 provides a user with descriptive report information 1301, and facilitates user selection of

user groups 1302, time ranges 1303, sort order 1304, and report display format 1305. Fig. 13B depicts an exemplary report 1350 of calls among all or specified users. As shown, the report 1350 indicates an account of calls made between users for a given time period using a sort order that consists of sorting at a first level by user and at a second level by time. For each call represented, the report 1350 identifies a call originator, a LAN call recipient and/or recipients or a WAN call recipient or recipients, a starting time, and a duration.

Fig. 14A is an example of a set-up interface 1400 for determining report generation parameters for generating a user call detail report 1450 (shown in Fig. 14B). The set-up interface 1400 provides a user with descriptive report information 1401 and facilitates user input for the selection of a user group 1402, a call type 1403, a time range 1404, a sort order 1405, and a report display format 1406. Fig. 14B depicts an exemplary user call detail report 1450, which indicates details of calls among a group of users for originating and receiving calls spanning a particular time period. For each call, the report 1450 identifies a call originator, a LAN call recipient or recipients or a WAN call recipient or recipients, a starting time, and a duration.

Fig. 15A is an example of a set-up interface 1500 for determining report generation parameters for generating a number of calls completed by user report 1550 (shown in Fig. 15B). The set-up interface 1500 provides a user with descriptive report information 1501, and facilitates user input of a user group 1502, a call type 1503, a time range 1504, a sort order 1505, and a report display format 1506. Fig. 15B depicts an exemplary number of calls completed by user report 1550, which graphically indicates a number of LAN calls and/or WAN calls originated and/or received by a specified user or users and/or group or groups of users within a specified time interval.

25

30

5

10

15

20

Fig. 16A is an example of a set-up interface 1600 for determining report generation parameters for generating a number of calls completed by time period report 1650 (shown in Fig. 16B). The set-up interface 1600 provides a user with descriptive report information 1601 and facilitates user selection of a user group 1602, a call type 1603, a time range 1604, a time period 1605, a sort order 1606 and a report display format 1607. Fig. 16B depicts an example of a number of calls completed by time period report 1650, which indicates a number of calls using an indicated type of network connection that were originated and/or received by a specified group of users during a specified time period.

Fig. 17A is an example of a set-up interface 1700 for determining report generation parameters for generating a call duration report 1750 (shown in Fig. 17B). The set-up interface 1700 provides descriptive report information 1701 and facilitates user input of a user group 1702, a call type 1703, a time range 1704, a sort order 1705 and a report display format 1706. Figs. 17B-17D depict respective examples of call duration reports 1750, which depict cumulative call durations for LAN calls and/or WAN calls associated with one or more specified groups of users and a specified time interval.

10 Examples of three additional reports that may be generated according to specified parameters as described above are shown in Figs. 18A-18C. Fig. 18A is an example of a user call total by time period report 1800 that includes a bar chart representing the cumulative minutes of use for LAN calls, WAN calls made using a dial-up connection and/or WAN calls made using a dedicated connection during a specified time range broken down by month.

15

20

25

30

5

Fig. 18B is an example of a network availability by number of calls report 1825 that includes a bar chart representing the results of calls using the specified networks during a specified time period. As shown in Fig. 18B, possible report indicators include available for completion, not completed due to unavailable resources, and/or not completed due to network or other system error.

Fig. 18C is an example of a network availability by percentages of calls report 1850 that includes a bar chart representing the percentages, rather than numbers, of calls available for completion, not completed due to unavailable resources, and/or not completed due to error during a specified time period.

Fig. 19A is an example of a set-up interface 1900 for determining report generation parameters for generating a total device usage by number of calls report 1950 (shown in Fig. 19B). The set-up interface 1900 provides descriptive report information 1901 and facilitates user specification of a device or devices 1902, a time range 1903, a sort order 1904 and a report display format 1905. Fig. 19B is an exemplary device usage by number of calls report 1950 that indicates a total number of inbound and/or outbound calls for a set of specified devices during a specified time interval.

Fig. 20A is an example of a set-up interface 2000 for determining report generation parameters for generating a total device usage by duration report 2050 (shown in Fig. 20B). The interface 2000 provides descriptive report information 2001, and facilitates user specification of a set of devices 2002, a time period 2003, a sort order 2004 and a report display format 2005. Fig. 20B depicts an exemplary device usage by duration report 2050, which indicates a cumulative inbound and outbound use time for a specified set of devices during a specified time period.

Figure 21A is an example of a set-up interface 2100 for determining report generation

10 parameters for generating a total device usage by time period report 2150 (shown in Fig. 21B).

The set-up interface 2100 provides descriptive report information 2101, and facilitates user input to specify a device set 2102, a time range 2103, a time period 2104, a sort order 2105 and a report display format 2106. Fig. 21B depicts an exemplary total device usage by time period report 2150, indicating a cumulative inbound and outbound usage time for a specified set of devices during a specified time period.

Examples of four additional reports that may be generated according to specified parameters as described above are shown in Figs. 22A-22D. Fig. 22A depicts an exemplary conference center usage by numbers of uses report 2200 that includes a bar chart representing the number of uses of conference centers in the specified MCSs. Fig. 22B depicts an exemplary conference center usage by cumulative time used report 2225 that includes a bar chart representing the cumulative time of use of conference centers in the specified MCSs during the specified time interval. Fig. 22C depicts an exemplary conference center busy by percentage of attempted uses report 2250 that includes a bar chart representing the percentage of times that a conference center was busy on the specified MCS when it was called during the specified time period. It should be noted that similar reports (with corresponding set-up interfaces) can readily be provided for other network devices. For instance, reports of usage by number of uses and usage by cumulative time used can be provided for switches 32 and AVSSs 100, and reports of being in use can be provided for AVSSs 100.

30

20

25

5

Fig. 22D depicts an exemplary conference call availability report 2275 that includes a bar chart representing, for specified networks during a specified time period, the number of conference calls available for completion, the number of conference calls not completed due to

unavailable resources and the number of calls not completed due to network error. Unlike the reports shown in Figs. 22A-22C which concern a network device conference center 36, the report 2275 shown in Fig. 22D concerns a service conference call report. Accordingly, the representations in the bar chart of calls not completed due to insufficient resources represent not only cases in which conference centers 36 are unavailable, but also cases in which other network resources are unavailable, such as AVSSs 100, if those resources are utilized for the call. Similarly, the representations in Fig. 22D of calls not completed due to system error represent not only cases in which there are errors in conference centers 36, but also cases in which there are errors in other network resources. Likewise; the representations of calls available for completion represent cases in which not only conference centers 36 are available and working, but all other necessary network resources are as well. It should be noted that reports like that depicted in Fig. 22D depicting conference call availability can be provided for other multimedia or collaborative services as well. For example, reports may be provided for two-party videoconferences, video-on-demand, video recording, and videoconference recording, such as are disclosed in U.S. Patents No. 5,617,539 and in Patent Cooperation Treaty Application Numbers PCT/US99/01789 and PCT/US98/23596.

5

10

15

20

Fig. 22E depicts an exemplary trunk busy report **2290** that includes a detailed listing for networks over a specified time period, a summary of the number of busy trunks during the specified time period. Although conference centers and trunks are specifically illustrated in the above reports, those skilled in the art will recognize that any service or shared hardware resources could be designated by the reporting features of the present invention and the above illustrations are merely exemplary.

Fig. 23 is an example of a menu 2300 from which a user may select a variety of user-defined custom reports in accordance with the invention. Custom reports may be derived from standard reports, such as those shown in Figs. 13A-22D, and may be defined and saved in the database 200 in accordance with specified settings or parameters. Alternatively, a user may select from a list of variables and/or parameter choices and define particular conditions to create a unique custom report.

Fig. 24 is an example of a custom report interface 2400 for saving custom reports to the database 200 in accordance with the invention. Fig. 25 is an example of a custom report save

notification interface 2500 in accordance with the invention for indicating the success or failure of a saved report to the database 200.

While the reports described herein were illustrated according to specific embodiments, those skilled in the art will recognize that the information contained in the reports can be presented according to any presentation implementation. Moreover, the reports can be printed or otherwise output using a vast number of different kinds of media without departing from the invention. Additionally, machine readable report files can be provided in commonly read file formats, such as "comma separated values" or any other similar file format scheme.

10

15

20

5

While the foregoing has been described with reference to particular embodiments of the invention, such as the implementation of a multimedia collaboration reporting system, the invention is not limited to such embodiments described herein. It will be appreciated by those skilled in the art that changes in these embodiments may be made without departing from the principles and spirit of the invention. For example, in an alternative web-based embodiment of the invention, the database 200 may store a plurality of system events and database query and calculation commands may actually be embedded in the web page code such that the database queries may be carried out without use of network accessed report query filter format servers 206, 216 and the like. Additionally, the utilization of a database 200 may be also eliminated by in some embodiments of the invention.

5

10

15

30

#### WHAT IS CLAIMED IS:

1. A multimedia collaboration reporting system for use in at least one underlying multimedia collaboration system network, comprising:

an event monitoring module for monitoring

- any one or more of internal network system events, external network system events and service events;
  - a database module for recording the monitored events therein and for classifying the monitored events according to predetermined characteristics and attributes; and
- a reporting module for receiving query parameter information from a user and for generating a report in accordance with the query parameter information.
  - 2. The multimedia collaboration reporting system of Claim 1, wherein there are a plurality of multimedia collaboration system networks and wherein one of the modules is centralized to a particular one of the plurality of multimedia collaboration system networks.
  - 3. The multimedia collaboration reporting system of Claim 1, wherein there are a plurality of multimedia collaboration system networks and wherein any of the modules are decentralized by being distributed among the plurality of multimedia collaboration system networks.
- 4. The multimedia collaboration reporting system of Claim 3, wherein the decentralization of any of the modules results in a first system architecture that mirrors a network architecture which is common to a selected one of the multimedia collaboration system networks.
- 5. The multimedia collaboration reporting system of Claim 1, wherein the events include one or more of server startup events, server shutdown events, user login events, user logout events, call events, call error events, service events and service error events.
  - 6. The multimedia collaboration reporting system of Claim 5, wherein the server startup events are maintained in a startup record stored in the database.
  - 7. The multimedia collaboration reporting system of Claim 6, wherein the startup record includes any of startup time information, error code information, error string information and supplemental information.

8. The multimedia collaboration reporting system of Claim 5, wherein the server shutdown events are maintained in a shutdown record stored in the database.

- 5 9. The multimedia collaboration reporting system of Claim 8, wherein the shutdown record includes any of shutdown time information, error code information, error string information and supplemental information.
- 10. The multimedia collaboration reporting system of Claim 5, wherein the user login eventsare maintained in a user login record stored in the database.

15

20

25

11. The multimedia collaboration reporting system of Claim 10, wherein the user login record includes any of user ID information, login time information, client information and supplemental information.

12. The multimedia collaboration reporting system of Claim 5, wherein the user logout events are maintained in a user logout record stored in the database.

- 13. The multimedia collaboration reporting system of Claim 12, wherein the user logout record includes any of user ID information, logout time information, client information and supplemental information.
- 14. The multimedia collaboration reporting system of Claim 5, wherein the call events are maintained in a call record stored in the database.

15. The multimedia collaboration reporting system of Claim 14, wherein the call record includes any of caller information, call session information, callee information and timing information.

30 16. The multimedia collaboration reporting system of Claim 5, wherein the call error events are maintained in a call error record stored in the database.

17. The multimedia collaboration reporting system of Claim 16, wherein the call error record includes any of call failure information, session information, call information and timing information.

- 5 18. The multimedia collaboration reporting system of Claim 5, wherein the service events are maintained in a service record stored in the database.
  - 19. The multimedia collaboration reporting system of Claim 18, wherein the service record includes any of service resource information, session information and timing information.
  - 20. The multimedia collaboration reporting system of Claim 5, wherein the service error events are maintained in a service error record stored in the database.
- 21. The multimedia collaboration reporting system of Claim 20, wherein the service error
   record includes any of service resource problem information, operational error information, session information and timing information.

10

20

- 22. The multimedia collaboration reporting system of Claim 1, wherein the database comprises a plurality of localized databases, each database configured to store the monitored event information from a particular multimedia collaboration system network and a centralized database configured to centrally maintain the stored information from each of the plurality of localized databases.
- 23. The multimedia collaboration reporting system of Claim 1, wherein the database
   comprises a centrally located database configured to maintain the monitored event information.
  - 24. The multimedia collaboration reporting system of Claim 1, wherein the database comprises a plurality of localized databases, each database configured to store the monitored event information from a particular multimedia collaboration system network.
  - 25. The multimedia collaboration reporting system of Claim 1, wherein the reporting module is configured to generate either standard or customizable reports relating to the operation of the

multimedia collaboration system network in response to the database query parameter information.

- 26. The multimedia collaboration reporting system of Claim 1, wherein the reporting module includes a web-based interface for providing either of a web-based query or response interactivity to the reporting such that a database query can be formulated and provided via the Internet.
- 27. The multimedia collaboration reporting system of Claim 1, wherein in response to the query parameter information, the reporting module performs either of predetermined calculations or conditional tests on the event information stored in the database in order to generate a report.
- 28. The multimedia collaboration reporting system of Claim 1, wherein the report is formulated as a machine readable report file.
  - 29. The multimedia collaboration reporting system of Claim 28, wherein the report is formulated as a comma separated value report file.
- 30. The multimedia collaboration reporting system of Claim 1, wherein the report is formulated as a combination of textual and graphical data.
  - 31. A multimedia collaboration system for conducting a conference among a plurality of participants comprising:
- 25 a multimedia collaboration system network, including

30

workstations; and

- a plurality of workstations each having a monitor for displaying visual images and A/V capture and reproduction capabilities for capturing and reproducing video images and spoken audio of the participants;
- a data network providing a data path along which data can be shared among the plurality of the
- a data conference manager for managing the sharing of data between the plurality of workstations; and

an independent reporting system connected with the multimedia collaboration system network and configured to provide reporting analysis of the multimedia collaboration system network, the independent reporting system including

- a network control system configured to monitor one or more of internal, external or service event information affecting the multimedia collaboration system network;
- a database configured to store the monitored event information;

5

25

- a database query system configured to format a database query according to query parameter information and to query the database in accordance with the database query parameter information; and
- 10 a report generation system configured to generate an analysis report from the monitored event information stored in the database in accordance with the database query parameter information.
- 32. The multimedia collaboration system of Claim 31, wherein the database comprises a plurality of localized databases, each database configured to store the monitored event information from a particular multimedia collaboration system network and a centralized database configured to centrally maintain the stored information from each of the plurality of localized databases.
- 33. The multimedia collaboration system of Claim 31, wherein the database comprises a centrally located database configured to maintain the monitored event information.
  - 34. The multimedia collaboration system of Claim 31, wherein the database comprises a plurality of localized databases, each database configured to store the monitored event information from a particular multimedia collaboration system network.
  - 35. The multimedia collaboration system of Claim 31, wherein the database query system includes any of a standard filter formatter, a general filter formatter and an SQL interface formatter.
  - 36. The multimedia collaboration system of Claim 31, wherein the report generation system is configured to generate either standard or customizable reports about the multimedia collaboration system network in response to the database query parameter information.

37. The multimedia collaboration system of Claim 31, wherein the reporting module includes a web-based interface for providing either of a web-based query or response interactivity such that a database query can be formulated and provided via the Internet.

5

- 38. The multimedia collaboration system of Claim 31, wherein in response to the query parameter information, the reporting module performs either of predetermined calculations or conditional tests on the event information stored in the database in order to generate a report.
- 39. The multimedia collaboration system of Claim 31, wherein the report is formulated as a machine readable report file.
  - 40. The multimedia collaboration system of Claim 39, wherein the report is formulated as a comma separated value report file.

- 41. The multimedia collaboration system of Claim 31, wherein the report is formulated as a combination of textual and graphical data.
- 42. A multimedia collaboration system for conducting a conference among a plurality ofparticipants comprising:
  - a multimedia collaboration system network, including
  - a plurality of workstations each having a monitor for displaying visual images and A/V capture and reproduction capabilities for capturing and reproducing video images and spoken audio of the participants;
- a data network providing a data path along which data can be shared among the plurality of the workstations; and
  - a data conference manager for managing the sharing of data between the plurality of workstations; and
- an independent reporting system connected with the multimedia collaboration system network 30 and configured to provide reporting analysis of the multimedia collaboration system network, the independent reporting system including
  - a network control system configured to monitor one or more of internal, external or service event information affecting the multimedia collaboration system network;

a database configured to store the monitored event information;

a web-based database query system configured to format a database query according to query parameter information and to query the database in accordance with the database query parameter information; and

- a report generation system configured to generate an analysis report from the monitored event information stored in the database in accordance with the database query parameter information.
  - 43. A method for generating reports identifying multimedia collaboration system events, comprising the steps of:

monitoring one or more of internal network system events, external network system events and service events and recording the monitored events to a database, the stored events being classified in the database according to a predetermined set of characteristics and attributes;

querying the database with a set of query parameter information to generate an analysis report; and

generating the analysis report in accordance with the query parameter information.

44. A reporting system, comprising:

10

15

- a network control system configured to monitor one or more of internal, external or service event information of a multimedia collaboration system network;
  - a database configured to store the monitored event information;
  - a database query system configured to format a database query according to query parameter information and to query the database in accordance with the database query parameter information; and
- a report generation system configured to generate an analysis report from the monitored event information stored in the database in accordance with the database query parameter information.
- 45. The reporting system of Claim 44, wherein the database query system includes any of a standard filter formatter, a general filter formatter and an SQL interface formatter.

46. The reporting system of Claim 44, wherein the report generation system is configured to generate either standard or customizable reports relating to the operation of the multimedia collaboration system network in response to database query parameter information.

- 47. The reporting system of Claim 44, wherein the reporting module includes a web-based interface for providing either of a web-based query or response interactivity such that a database query can be formulated and provided via the Internet.
- 48. The reporting system of Claim 44, wherein in response to the query parameter information, the reporting module performs either of predetermined calculations or conditional tests on the event information stored in the database in order to generate a report.
  - 49. The reporting system of Claim 44, wherein the report is formulated as a machine readable report file.

50. The reporting system of Claim 49, wherein the report is formulated as a comma separated value report file.

51. The reporting system of Claim 44, wherein the report is formulated as a combination of textual and graphical data.

52. A reporting system, comprising:

15

20

30

- a network control system configured to monitor one or more of internal, external or service event information of a multimedia collaboration system network;
  - a database configured to store the monitored event information;
- a web-based database query system configured to format a database query according to query parameter information and to query the database in accordance with the database query parameter information; and

a report generation system configured to generate an analysis report from the monitored event information stored in the database in accordance with the database query parameter information.

#### APPENDIX A

The following appendix lists some example high-level descriptions of various

reporting algorithms that may be implemented by the present invention. Reference should be made to the specification to determine the scope of each of the following algorithms. The algorithms included in this appendix are User Call Total (A.1), User Call Summary (A.2), User Call Detail (A.3), User Call Total by Time Period (A.4), Network Availability (A.5), System Usage Between Switches (A.6), Trunk Busy (A.7), Conference Center Usage (A.8), and

Conference Center Busy (A.9). Of course, those skilled in the art will recognize that other implementations of these algorithms, as well as additional algorithmic functions relating to information processing can be utilized without departing from the invention and the foregoing is provided merely as exemplary algorithms. A.1 - User Call Total

# 15 Switch

Originate:

Find all records with Accept Time and End Time in selected time range in which Caller Name matches selected name and caller is originator, or Callee Name matches selected name and callee is originator.

20 Receive:

Find all records with Accept Time and End Time in selected time range in which Caller Name matches selected name and caller is receiver, or Callee Name matches selected name and callee is receiver.

Originate and Receive:

Find all records with Accept Time and End Time in selected time range in which Caller Name or Callee Name matches selected name

For each Call Record

List by user and call class, rounding class and user totals to nearest minute.

# 30 A.2 - User Call Summary

For each user in the first group of selected users

Switch

Originate:

Find all records with Accept Time and End Time in selected time range in which

Caller Name matches selected name, caller is originator, and Callee Name is in the second
group of selected users, or

Callee Name matches selected name, callee is originator, and Caller Name is in the second group of selected users.

#### Receive:

5

Find all records with Accept Time and End Time in selected time range in which

Caller Name matches selected name, caller is receiver, and Callee Name is in the second group

of selected users, or

10 Callee Name matches selected name, callee is receiver, and Caller Name is in the second group of selected users.

Originate and Receive:

Find all records with Accept Time and End Time in selected time range in which

Caller Name matches selected name and Callee Name is in the second group of selected users,

15 or

Callee Name matches selected name and Caller Name is in the second group of selected users.

Create Service\_List containing fields for Service (Media Server, Conference Center,

Presentation, Broadcast, Device) and for each call class, Total and Minutes

For each Call Record

20 If callee is an Actual User and caller is an Actual User, then

List by user and call class, rounding class and user totals to nearest minute.

Else

Update Service List by Call Service and call class Total and Minutes

For each entry in Service List

25 List by call service and call class, rounding class and user totals to nearest minute.

#### A.3 - User Call Detail

For each selected user

Switch

30 Originate:

Find all records with Accept Time and End Time in selected time range in which

Caller Name matches selected name and caller is originator, or

Callee Name matches selected name and callee is originator.

#### Receive:

Find all records with Accept Time and End Time in selected time range in which

Caller Name matches selected name and caller is receiver, or

Callee Name matches selected name and callee is receiver.

# 5 Originate and Receive:

Find all records with Accept Time and End Time in selected time range in which Caller Name matches selected name or Callee Name matches selected name.

For each Call Record found

If Caller Service or Callee Service is Conference Center then

## 10 Find Participant record with same Call ID

Find all Participant Records with same Conf Session ID as this Participant Records

Create new ordered list Action\_List of Action Records (like Participant Record with two new field called Action Time and Action Type)

Insert each Participant Record into Action\_List twice using the following process

# 15 For each Participant Record

If Slot Number is -1, then ignore

Insert in ascending order by comparing Accept Time to Action Time, set Action Time to Accept Time and Action Type to Join

For each Participant Record

#### 20 If Slot Number is -1, then ignore

Insert in ascending order by comparing End Time to Action Time, set Action Time to End Time and Action Type to Leave

Set Active Participant List initially NULL

Set Previous\_Action\_Time to NULL

# 25 Loop through Action\_List

If selected name is in Active\_Participant\_List, then

List call with originator column containing selected name, participants column containing

Active\_Participant\_List, Start Time column containing Previous\_Action\_Time, Duration

column containing difference between Action Time and Previous\_Action\_Time

#### 30 If Action Type is Join, then

Add Participant Name to Active Participant List

Else if Action Type is Leave, then

If Call Record CallID is Participant CallID, then



List call with originator column containing selected name, participants column containing

Active\_Participant\_List, Start Time column containing Action Time, Duration column

containing difference between Action Time and Previous\_Action\_Time

Remove Participant Name from Active\_Participant\_List

5 Exit Loop through Action List

Set Previous\_Action\_Time to Action Time

Else

If call is to a service

List call by originator and service name

10 Else

List call by originator and recipient

# A.4 - User Call Total by Time Period

For each selected user

15 Switch

Originate:

Find all records with Accept Time and End Time in selected time range in which

Caller Name matches selected name and caller is originator, or

Callee Name matches selected name and callee is originator.

20 Receive:

Find all records with Accept Time and End Time in selected time range in which

Caller Name matches selected name and caller is receiver, or

Callee Name matches selected name and callee is receiver.

Originate and Receive:

Find all records with Accept Time and End Time in selected time range in which Caller Name matches selected name or Callee Name matches selected name.

List by selected time period and call class, rounding class and time period totals to nearest minute.

# 30 A.5 - Network Availability

For each selected switch

Find all Call Records and Hop Records with Server Name equal to the switch and Accept Time and End Time in selected time range

For all Call Records

Determine completion status

5 Increment call count by completion status

List by call completion status

#### A.6 - System Usage Between Switches

For each selected switch

10 Find all Call Records with Server Name equal to selected switch and Accept Time and End
Time in selected time range

Create list of destination switches Destination\_List containing fields for Server Name, Server Location, and for each LAN, WAN:Dedicated, WAN:Dial calls, Total, fields for number of calls and minutes

15 For each Call Record

If call is not LAN call, then

Determine call class and update destination switch (Server Name of last Hop Record) entry on Destination List

For each entry in Destination\_List

20 List information by call class, rounding times to nearest minute

# A.7 - Trunk Busy

For each selected switch

Find all Call Records and Hop Records with Server Name or Next Hop Server equal to

25 selected switch and Accept Time and End Time in selected time range

Create list of destination switches Destination\_List containing fields for Server Name, Server Location, and Busy Count for each of 24 hours, initially all 0

For each Call Record and Hop Record

Determine Call Record or Hop Record busy status

30 If Server Name is selected switch and busy status is local, then increment Busy Count for hour of Start Time for the Server Name of call



If Next Hop Server is selected switch and busy status is remote, then increment Busy Count for hour of Start Time for the Next Hop Server of call

For each entry in Destination List

List information by Server Name, Server Location, Busy Count per hour

5

# A.8 - Conference Center Usage

For each selected switch

Find all Conference Records with Server Name equal to selected switch and Accept Time and End Time in selected time range

10 Create list of conference usage Conference\_List containing fields for Server Name, Server Location, and Total Count and Total Minutes

For each Conference Record

Update entry on Destination\_List

For each entry in Destination\_List

15 List information by Server Name, Server Location, Total Count, Total Minutes (rounded to nearest minute)

# A.9 - Conference Center Busy

For each selected switch

Find all Conference Records with Server Name equal to selected switch and Accept Time and End Time in selected time range

Create list of conference usage Conference\_List containing fields for Server Name, Server Location, and Busy Count for each of 24 hours, initially all 0


For each Conference Record

25 If Conference End Event is "All busy", then increment count for hour of Start Time for the Server Name of call


For each entry in Destination\_List


List information by Server Name, Server Location, Busy Count per hour

Eigure I




PRIOR ART





4149



F. 9. 4




Fig. 5A




Fig. 5B





Fig. 5C



9149 PARTICIPANTPORT TEXT(50)
PARTICIPANTMODE TEXT(50)
PARTICIPANTFENMINALID TEXT(50)
(IE)
STARTTIME LONG (IE) SLOT TEXT(50) CONFIDAVISTAR TEXT(50) CALLIDAVISTAR TEXT(50) DEVICEID L'ONA (IE) ENDTIME LONG (IE) DURATION DOUBLE CONFID LONG (IE) LOGID LONG (AK LANWAN TEXT(3) NAME TEXT(75) PARTICIPANTS RECORD MEMO RID LONG (1E) CRID LONG (1E) ORD LONG ID LONG (AK) READ LONG RAWDATA LAST ID LQNG NAME TEXT(75) DESCRIPTION TEXT(250) RID LONG (FK) (IE) FVALUE TEXT(50) RID LONG (FK) (IE) FNAME TEXT(50) DISPLAY TEXT(50) TYPEID LONG REPORTFIELDS FID LONG (IE) ORD LONG **RVALUES** ORD LONG REPORT FNAME TEXT(50) CRID LONG (IE) FVALUE TEXT(50) ġ CAVALUES RID LONG (FK) (1E) DID LONG (FK) REPORTDISPLAY Jame TEXT(60) DISPLAY ID LONG CALLERIDAVISTAR TEXT(60) (IE) CALLERTRUNKPORT TEXT(50) CONFID LONG (IE)
CALLERID LONG (IE)
CALLERDEVICEID LONG CALLERMODE TEXT(50) CALLERPORT TEXT(50) STANTTIME LONG (IE) LANCALLS LONG WANCALLS LONG HOUR LONG

2009

OGID LONG

WANDUNATION DOUBLE LANDUNATION DOUBLE

MONTH LONG WEEK LONG

DAYLONG

USERID LONG (IE)
LOGID LONG (AK)
SERVICETYPE TEXT(SO)
STARTTIME LONG (IE)
ENDTIME LONG (IE)

LOGIN

10/49

PCT/US00/15990

ID LONG NUMBER TEXT(50) ID LONG HAME TEXT(200) WANNUMBERS USER

NID LONG (IE)
NAME TEXT(50)
VALUE TEXT(100) SORTCHOICE

DEVICEUSAGE

DEVICEID LONG (IE)
STARTIME LONG (IE)
ENDTIME LONG (IE)
DURATION DOUBLE OBID LONG (AK) MONTH LONG WEEK LONG DAY LONG

Calegory TEXT(60) ID LONG Neme TEXT(50)

DEVICE

ID LONG NAME TEXT(75)

LOGID LONG (IE)
STARTTIME LONG (IE)
ENDTIME LONG (IE)
GEVICEID I ONG (IE)
CONTIDAVISTAIN TEXT(50)

CONFERENCE ID LONG (AK)

CALLEED LONG (IE)
CALLEEDEVICEID LONG (IE)
CALLEEPORT TEXT(SO)
CALLEEMODE TEXT(SO)
CALLEETRUNALID TEXT(SO)
CALLEETRUNKPORT TEXT(SO)
CALLEETRUNKPORT TEXT(SO)
LANCALLS LONG WANCALL B LONG
LAMBURATION DOUBLE
WANDURATION DOUBLE COOLD LONG (IE)

CALLEE

FIELD

ID\_LONG TITLE TEXT(75) RID LONG DATECONST LONG DESCRIPTION TEXT(250) DISPLAY TEXT(50) CUSTOMREPORT

> ID LONG CALLER LONG (IF) CALLEE LONG (IF) NAME TEXT(200) SALLUSERS

300b

11/49







Fig. 8







Data Mana	ngement	Import
urrent Date Range (	of Imported Data: 04/13/1	1,000 3-33 PM to 05/11/1999 2/2
	Delete	
Vianual Import:		
Pleasé choose an impor	t method:	
Most Recent Log	g Records crecords created with	ter 05/11/1999 2:29 PM)
Time Range:	1998   🕶   Jan   🕶   D1	▼   To   1998   ▼   Jan ▼
<del>-</del>	12   VE   00 I VI   AM	12 V 00 VN
Import Records		
Automatic Impor	t Settings:	
Import Records	t Settings:	
Automatic Impor	et Settings:  mport daily at 11PM	
Automatic Impor	et Settings:  mport daily at 11PM	
Automatic Impor	et Settings:  mport daily at 11PM	
Automatic Impor	et Settings:  mport daily at 11PM	
Automatic Impor	et Settings:  mport daily at 11PM	

# Data Management

De	16	1	ρ
$\mathbf{L}$	. 1 🕻	J L	L

Current Date Range of Imported Data: 04/13/1999 3/33 PM to 05/11/1999 2:29 PM

Import	
Please choose criteri	a for deletion: s (WARNING - Ail existing data will be deleted!)
Time Range:	1998   Jan   V   D1   V   To   1908   V   Jan   V   D1   V
Delete Records	12 V: 00 V AM V



Fig. 11

### Standard Reports

#### **User Activity**

Calls Between Users (E)
Detailed account of calls made between a user or group of users, and another user or group of users.

User Call Detail 

Detailed account of the calls made to (originate), from (receive), or to and from (originate and receive) a user or group of users.

Number of Calls Completed by User will
Tabulates number of calls originated and/or received by
users in a time period with breakdown of LAN and WAN
calls

Number of Calls Completed by Time Period Land Tabulates number of calls originated and/or received by users in time periods over a specified time range with breakdown of LAN and WAN calls.

Cail Duration (LT)
Tabulates cumulative minutes of use for LAN and WAN calls originated and/or received by specified users during a time period.

#### Resource Usage

Total Device Usage by Number of Calls Total number of inbound and outbound calls for a list of devices over a time range.

Total Device Usage by Duration (Lill)
Cumulative minutes of use (inbound and outbound) for a list of devices over a time range.

Total Device Usage by Time Period (Lib)
Cumulative minutes of use (inbound and outbound) for a list of devices in each time period over a range of time.



Standar	d Reports	Set-Up	— <b>→</b> Ment
		Cails Between Users	► Set-u
Set-Up			
Report Informati	on:		
Title:	Calls Between Users		
Description:	Detailed account or calls made t		<u>.</u>
	of users and another user or grou	up of users.	
Please select the			
GROUP A:	All Users 992 Training Class	<u></u>	
	Alex Vasvienko	i	•
	Angela Kilpatrick		
GROUP B:	All Users		
	992 Training Class	<del></del>	
	Alex Vasylenko Angela Kilpatrick	<b>V</b>	
Jime Range			
	This Month (1st - present	I)	
	Or		
	○ [[009]]▼[[May ]]▼[[0]	11 1 To   1999   VI   May	. (1 1)25
	12 V: 00 IV AN		I PM
Please select the	order		
Sort Order:	By User then Chronologically		
Please select ou			
Display Output:	Text Report	iew Report	
			130
5		ř	1 20

Fig. 13A

Report Title:

Calls Between Users

Report Description

Detailed account of calls made between a user or group of

users, and another user or group of users.

Type of Calls

N/A

Time Range:

05/01/1999 12:00 AM - 05/31/1999 11:59 PM

Sort Order.

By User then Chronologically

Number of Call Records Found: 37 (Displaying 1 - 37) Total Call Minutes: 0:23:31

		WAN Call Recipient		
ail Originator	LAN Call Recipient(s)	(\$)	Start Time	Duration
ngela Kilpatrick	Heather Davis-Receptionist		05/03/1999 7:35 AM	0:00:14
ungela Kilpatrick	Heather Davis-Receptionist, Eric Wood		05/03/1999 7:35 AM	0:00:23
vngela Kilpatrick	Heather Davis-Receptionist		05/03/1999 8:24 AM	0:00:29
ungela Kilpatrick	Heather Davis-Receptionist		05/03/1999 2:07 PM	0:00:41
Angela Kilpatrick	Heather Davis-Receptionist		05/03/1999 2:20 PM	0:00:17
Angela Kilpatrick	Heather Davis-Receptionist		05/03/1999-2:21 PM	0:01:13
Angela Kilpatrick	Heather Davis-Receptionist		05/04/1999 8:43 AM	0:00:31
Angela Kilpatrick	Heather Davis-Receptionist		05/04/1999 12:42 PM	0:00:18
Angela Kilpatrick	Heather Davis-Receptionist		05/04/1999 2:21 PM	0:00:48
Angela Klipatrick	Heather Davis-Receptionist		05/05/1999 8:43 AM	0:00:05
Angela Kilpatrick	Heather Davis-Receptionist, Eric Horschman		05/05/1999 9:07 AM	0:01:18
Angela Kilpatrick	Heather Davis-Receptionist		05/06/1999 8:13 AM	0:00:26
Angela Kilpatrick	Heather Davis-Receptionist		05/07/1999 8:00 AM	0:01:00
Angeia Kilpatrick	Heather Davis-Receptionist		05/07/1999 11:13 AM	0:00:14
Angela Klipatrick	Chris Lauwers		05/07/1999 11:29 AM	0:00:07
Angela Kilpatrick	Mike Dainko		05/10/1999 11:25 AM	0:00:0
Angela Klipatrick	Heather Davis-Receptionist		05/11/1999 8:22 AM	0:01:18
Heather Davis- Receptionist	Ellie Wierenga, Angela Kilpatrick		05/03/1999 7:33 AM	0:02:0
Heather Davis- Receptionist	Angela Klipatrick		05/05/1999 8:46 AM	0:00:3
Heather Davis- Receptionist	Angela Kilpatrick		05/05/1999 10:0	5 0:00:1
Mike Dainko	Angela Kilpatrick		05/10/1999 11:2 AM	9 0:00:4
Diann Cupples		Heather Davis- Receptionist	05/10/1999 9:17 AM	0:00:3

nhs Lauwers		Diann Cupples	05/04/1999 12:47 PM	0:03:49
ieather Davis- Leceptionist		Diann Cupples	05/11/1999 8:48 AM	0:01:36
Tammy Fresca	Chris Lauwers		05/05/1999 11:33 AM	0:00:04
Tammy Fresca	Chris Lauwers		05/05/1999 11:34 AM	0:00:07
Tammy Fresca	Chris Lauwers		05/05/1999 11:40 AM	0:00:02
Tammy Fresca	Chris Lauwers		05/06/1999 7:26 AM	0:00:03
Tammy Fresca	Lan Rupf, Chris Lauwers	Debbie Rosenkoetter	05/06/19 <del>99</del> 7:34 AM	0:02:21
Tammy Fresca	Chris Lauwers		05/06/1999 7:36 AM	0:00:08
Tammy Fresca	Chris Lauwers		05/06/1999 7:39 AM	0:00:28
Tammy Fresca	Chris Lauwers		05/10/1999 12:44 PM	0:00:12
Chris Lauwers	Tammy Fresca		05/03/1999 2:28 PM	0:00:29
Chris Lauwers	Tammy Fresca		05/05/1999 12:29 PM	0:00:03
Chris Lauwers	Tammy Fresca		05/06/1 <del>999</del> 7:38 AM	0:00:02
Chris Lauwers	Tammy Fresca		05/06/1999 12:35 PM	0:00:16
Heather Davis- Receptionist	Tammy Fresca		05/10/1999 B:52 AM	0:00:12
	Total LAN Minutes: 0:23:	34 Total WAN Minutes: 0	:08:24	

Standard R	enorts	Set-Up	— ► Menu
		User Call Detail	_ Set-up
There are no reco	rds that match your set-	up criteria. Please retine your	setup.
Report Informatio	n:		
_ Title:	User Call Detail		
Description:	Detailed account of the (onginate), from (received		
140Z 992 Alex	data Users Training Class k Vasylenko lela Kilpatrick	Please select the Type of C  Originate and Receive  Receive	
Time Range:	Last Month		
	1999 V Jun V K		
Please select the	e order		
Sort Order:	Chronologically ne output display		
Display Output:	Text Report	View Report	
1406			1400
			7,00

Fig. 14A

Report Title:

User Call Detail

Report Description

Detailed account of the calls made to (originate), from (receive), or to and from (originate and receive) a user or

group of users.

Type of Calls -

Originate and Receive

Time Range:

05/01/1999 12:00 AM - 05/31/1999 11:59 PM

Sort Order:

Chronologically

Number of Call Records Found: 68 (Displaying 1 - 68)
Total Call Minutes: 2:21:55

all Originator	LAN Call Recipient(s)	WAN Call Recipient(s)	Start Time	Duration
ike Dalnko	CNN_Palo_Alto		05/10/1999 7:07 AM	0:01:29
aul Gamberdella	Tammy Fresca, Mike Dainko	Outside Call, Outside Call	05/10/1999 7:11 AM	0:13:54
like Dainko		Josh Rosenblum	05/10/1999 7:25 AM	0:00:10
like Dalnko		Josh Rosenblum	05/10/1999 7:25 AM	0:00:17
like Dalnko		Matt Basham	05/10/1999 7:26 AM	0:02:16
1ike Dainko		Outside Call	05/10/1999 7:34 AM	0:02:03
1ike Dainko		Debbie Rosenkoetter	05/10/19 <del>99</del> 7:38 AM	0:20:00
Mike Dainko		Debbie Rosenkoetter	05/10/1999 7:58 AM	0:11:20
De <b>bble</b> Rosenkoetter		Mike Dainko	05/10/1999 8:09 AM	0:00:02
Debble Rosenkoetter		Mike Dalnko	05/10/1999 8:09 AM	0:02:24
Debbie Rosenkoetter		Mike Dainko	05/10/1999 8:12 AM	0:04:44
Debble Rosenkoetter		Mike Dainko	05/10/1999 8:23 AM	0:00:07
Debbie Rosenkoetter		Mike Dainko	05/10/1999 8:23 AM	0:01:37
Mike Dainko		Josh Rosenblum, Debbie Rosenkoetter	05/10/1999 8:25 AM	0:01:21
Mike Dalnko		Debbie Rosenkoetter	05/10/1999 8:26 AM	0:01:27
Mike Dainko		Debbie Rosenkoetter	05/10/1999 8:28 AM	0:00:19
Debbie Rosenkoetter		Mike Dainko	05/10/1999 8:28 AM	0:00:08
Debbie Rosenkoetter		Mike Dainko	05/10/1999 8:29 AM	0:00:08
Debbie Rosenkoetter		Mike Dainko	05/10/1999 8:25 AM	0:01:0
Mike Dainko		Debbie Rosenkoetter	05/10/1999 8:30 AM	0:02:44
Debbie Rosenkoetter		Mike Dainko	05/10/1999 8:3: AM	0:00:0
Debble Rosenkoetter		Mike Dainko	05/10/1999 8:3	0:01:3

#### WO 00/77687

senkoetter	M	ike Dainko	05/10/1999 8:36  AM	:00:53
ke Dainko	О	ebble Rosenkoetter	05/10/1999 8:37 AM	0:00:47
ebbie Senkoetter	м	like Dainko	05/10/1999 8:37 AM	0:00:08
ebbie esenkoetter	P	like Dainko	05/10/1999 8:38	0:00:30
ebbie osenkoetter	P	like Dainko	05/10/1999 8:38 AM	0:00:01
ike Dainko		Dutside Call	05/10/1999 8:39 AM	0:00:04
ebbie osenkoetter		Mike Dainko	05/10/1999 8:39 AM	0:00:31
like Dainko		Debble Rosenkoetter	05/10/1999 8:40 AM	0:00:51
like Dainko		Ian O'Brien	05/10/1999 8:41 AM	0:07:07
dike Dainko		Outside Call	05/10/1 <del>999</del> 8:52 AM	0:00:12
Brian Wood	Mike Dainko		05/10/1999 9:00 AM	0:00:41
Brian Wood	Mike Dainko		05/10/1999 9:03 AM	0:01:55
Brian Wood	Mike Dainko	Outside Cali	05/10/1999 9:05 AM	0:01:13
Mike Dainko	Brian Wood		05/10/1999 9:10 AM	0:00:03
Brian Wood	Mike Dainko		05/10/1999 9:15 AM	0:00:06
Brian Wood	Mike Dainko		05/10/1999 9:26 AM	0:00:03
Mike Dainko		Outside Call	05/10/1999 9:45 AM	0:00:13
Tanya Tran	Mike Dainko		05/10/19 <del>99</del> 9:57 AM	0:00:08
Brian Wood	Mike Dainko		05/10/1999 10:02 AM	0:00:03
Mike Dainko		Outside Call	05/10/1999 11:11 AM	0:00:49
Mike Dainko		Debbie Rosenkoetter	05/10/1 <del>999</del> 11:12 AM	0:02:11
Mike Dainko		Outside Call	05/10/1999 11:22 AM	0:00:36
Angela Kilpatrick	Mike Dainko		05/10/1 <del>999</del> 11:25 AM	0:00:04
Mike Dainko	Angela Klipatrick		05/10/1999 11:29 AM	0:00:4
Mike Dainko	Steve Arisco		05/10/1999 11:30 AM	0:00:1
Ian O'Brien		Mike Dainko	05/10/1 <del>999</del> 11:31 AM	0:01:1
Mike Dainko	1	Outside Call	05/10/1999 11:33 AM	0:00:1
Mike Dainko	Pearl O'Brien		05/10/1999 11:33 AM	0:01:4
Mike Dainko	Pearl O'Brien		05/10/1 <del>999</del> 11:37 AM	0:02:
Pearl O'Brien	Mike Dainko, Mike Dainko, Jear Dominguez	Outside Call	05/10/1999 11:39 AM	0:15:



Mike Dainko		Outside Cail	05/10/1999 4:52 PM	0:00:43
Mike Dainko	·	Outside Call	05/10/1999 4:48 PM	0:03:59
Mike Dalnko		Outside Call	05/10/1999 4:47 PM	0:00:13
Outside Call	Mike Dainko		05/10/1999 4:41 PM	0:00:47
Mike Dainko	Chris Lauwers		05/10/1999 4:33 PM	0:00:51
Mike Dainko	Alex Vasylenko		05/10/1999 4:33 PM	0:00:11
Mike Dainko	Chris Lauwers		05/10/1999 4:33 PM	0:00:08
Mike Dainko		Outside Call	05/10/1999 4:25 PM	0:14:33
Mike Dainko	·	Outside Call	05/10/1999 4:22 PM	0:01:02
Mike Dainko		Outside Cali	05/10/1999 4:20 PM	0:00:56
Mike Dainko		Outside Call	05/10/1999 4:19 PM	0:00:42
4lke Dainko		Outside Call, Outside Call	05/10/1999 4:18 PM	0:01:03
like Dainko		Outside Call	05/10/1999 4:13 PM	0:04:48
booW nan	Mike Dainko		05/10/1999 12:05 PM	0:00:03
like Dainko		Outside Call	05/10/1999 11:43 AM	0:00:13

# 25/49

Standard I	Renorts	Set-Up	— ▶ Menu
Standard	iteports	Number of Calls Completed by User	► Set-up
Report Information			
_ Title:	Number of Calls Complet	ed by User	
Description:	Tabulates number of calls and/or received by users i		
, 992	data Users Training Class	Please select the Type of Cal Originate and Receive	1503
1502 Alex	x Vasylenko gela Kilpatrick	Originate Receive	
Soy   Or	Last Month		
0	1999   May   0		<b>▼</b> 25 <b>▼</b>
Please select the	e order		
Sort Order:		nd WAN Calls	
rieuse select u	ne output display		
Display Output:  ) 1506	Stacked Bar Chart	View Report	
	Fig.	15A	

### **Standard Reports**

#### View Report

Number of Calls Completed by User

Report Title:

Number of calls Completed by User

**Print Format** 

Report Description:

Tabulates number of calls originated and/or received by users in a time period with

breakdown of LAN and WAN calls.

(Save as Custom)

Type of Call:

Originate and Receive

Modify


Time Range:

04/01/1999 12:00 AM - 04/30/1999 11:59 PM

Sort Order:

Ascending # of LAN Calls

#### 1206



User

1550

Fig. 15B

S dard F	Reports	·	Set-Up	→ Men
			umber of Calls ed by Time Period	— ► Set-u
Report Information	•			
Title:	Number of Calls Co	ompleted by T		
_ Description:				
ĺ	Tabulates number of and/or received by	of calls originated users in time		
Please select the da	ita	I.V.		
Jsers:	cerc		elect the Type of Cal	
992 T Alex	raining Class Vasylenko la Kilpatrick	Ori		160
	·	Re	ceive	
Time Range:				
[307]	Last Month			
Or				
<u> </u>	999  ▼  May   ▼	[0] To [1	000   V   May   V	125
	2 1 00 1			
Time Period:	Day   🔻			
Please select the o	rder 1301			
Sort Order:	Time Period			
! 65		<del>-</del> 704		
Please select the	output display			
Display Output:	Bar Chart	711 View Report		
26				
			1600	

Fig. 16A

# Standard Reports

#### View Report

Number of Calls Completed by Time Period

Report Title:

Number of calls Completed by Time Period

Print Format Report Description:

Tabulates number of calls originated and/or received by users in time periods over a specified

time range with breakdown of LAN and WAN

calls.

Save as Custom

Type of Call:

Originate and Receive

Modify

Time Range:

04/01/1999 12:00 AM - 04/30/1999 11:59 PM

Sort Order:

Time Period




Fig. 16B

Standa	ard Reports	Set-Up	┌ ► Me
		Call Duration	Set
Report Information	on:		
_Title:	Call Duration		
(Description:	Tabulates cumulative min	nutes of use for analysis	
Please select the	data		
992 Ale:	Users Training Class x Vasylenko gela Kilpatrick	Please select the Type of Call  Originate and Receive Originate	1703
		Receive	
904 • [ Or • [	Last Month  1999 ▼   May   ▼   01  12 ▼: 60 ▼   AM	To 1999 May Ds	
Please select the	order		
Sort Order:	Descending = of LAN Calls		
_	Bar Chart	View Report	
1706		<b>\</b>	700
	F	- 19-17A	

Standard Reports

View Report

Call Duration

Report Title:

Call Duration

Report Description:

Tabulates cumulative minutes of use for LAN

and WAN calls oiginated and/or received by

specified users during a time period.

Save as Custom

Modify

**Print Format** 

Type of Call:


Originate and Receive

Time Range:

114/01 1090 12:00 AM - 04/30/1999 11:59 PM

Sort Order:

Descending # of LAN Calls



User

1750

Fig. 17B

### **Standard Reports**

View Report

Call Duration

Report Title:

Call Duration

Print Format

Report Description:

Tabulates cumulative minutes of use for LAN and WAN calls originated and/or received by specified

users during a time period.

Save as Custom

Type of Call:

Originate and Receive

Modify

Time Range:

04/01/1999 12:00 AM - 04/30/1999 11:59 PM

Sort Order:

Descending # of LAN Calls

User LA	N Calls WAN	Calls
Greg Paxton	60	94
Jan Afridi	117	61
Eric Wood	171	08
Paul Gamberdella	208	240
Brian Wood	392	44
Jim Hughes	1122	792
Total 207	0 1939	



Fig. 17C

Report Title:

Call Duration

**Report Description:** 

Tabulates cumulative minutes of use for LAN and

WAN calls originated and/or received by specified

users during a time period.

Type of Call:

Originate

Time Range:

05/01/1999 12:00 AM - 05/31/1999 11:59 PM

Sort Order:

Descending # of LAN Calls

User LA	N Calls WAN	Calls
Greg Paxton	60	94
Jan Afridi	117	61
Eric Wood	171	08
Paul Gamberdella	208	240
Brian Wood	392	44
Jim Hughes	1122	792
Total 207	1939	



### **Standard Reports**

View Report

User Call Total by Time Period

Report Title:

User Call Total by Time Period

Report Description:

Calculates the minutes of use for a user (or group

of users) over a specified period of time.

Type of Call:

Originate or Receive

Time Range:

06/01/1999 12:00 AM - 11/30/1999 11:59 PM

Sort Order:

Time Period




Fig. 18A

### Standard Reports

View Report

Network Availability by Numbers of Calls

Report Title:

Network Availability by Numbers of Calls

Report Description:

Calculates the number of calls available for completion the number of calls not completed due to unavailable resources, and the number of calls not completed due to Avistar network

error

Type of Call:


/ A

Time Range:

96/01/1999 12:00 AM - 11/30/1999 11:59 PM

Sort Order:

Avistar network



F. 18B

Report Title:

Network Availability by Percentages of Calls

Report Description:

Calculates the percentage of calls available for completion the number of calls not completed due to unavailable resources, and the number of calls not completed due to Avistar network

error

Type of Call:

X 4

\_Time Range:

90/01 1000 12 00 AM - 11/30/1999 11:59 PM

Sort Order:

Avistar network




Fig. 80

Standa	rd Reports	Set-Up	— <b>►</b> Menu
		Total Device Usage by Number of Calls	_ ► Set-up
	}		
Report Informatio	n:	_	
Title:	Total Device Usage by number of C	]	
Description:	Total number of inbound and outbou	nd i 📤 l	
1401	calls for a list of devices over a time		
Please select the	data		
1907	Eust Manual	<b>▼</b>	
1903	Or		
	12 1 ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) (	سنتنا نسانس	PN TV
Please select the	order		
Sort Order:	Device Category (Gateways or quads)		
1904			
Please select or <b>Display</b>			
Output:	Bar Chart   View Repo	on	
1905			
	Fig. 19A		1900

# 34/49

### Standard Reports

Set-Up

Total Device Usage by Number of Calls

**Print Format** 

Report Title:

Total Device Usage by Number of Calls

Report Description: Total number of inbound and outbound calls to a

list of devices over a time range.

Save as Custom

Type of Call:

N/A

Modify

Time Range:

94/01 1999 12:00 AM - 04/30/1999 11:59 PM

Sort Order:

Device Category (Gateways or quads)




Fig. 19B

Standa	ard Reports	Set-Up	— ▶ Menu
Junua		Total Device Usage by Duration	► Set-u
Report Informatio	on:		
Title:	Total Device Usage by Duration .		
Description:		3311 <b></b> 1	
2001	Cumulative minutes of use (inboun outbound) for a list of devices over		
Please select the	data		
Davis	All Devices		
2002	econe cctwo Agpt1		
7003	12   VI: 00   ANI II V		PM 1
Sort Order:			
7004			
Please select or	utput display		
Display Output:	Text Report   View Re	роп	
7005		200	D
	E <sub>1</sub> 7	20A	

### Standard Reports

#### View Report

Total Device Usage by Duration

Report Title:

Total Device Usage by Duration

Print Format

Report Description:

Cumulative minutes of use (inbound and outbound) for a list of devices over a

time range.

Save as Custom

Type of Call:

N/A

Modify

Time Range:

04 01/1999 12/00 AM - 04/30/1999 11/59 PM

Sort Order:

Device

#### Device Name Minutes in Use

cctwo

679

gptl

209


tanDed

800

Page: [1]

Fig. ZOB





### Standard Reports

#### View Report

Total Device Usage by Time Period

Report Title:

Total Device Usage by Time Period

Print Format ) Report Description:

Cumulative minutes of use (inbound and

outbound) for a list of devices in each

time period over a range of time.

Save as Custom

Type of Call:

N/A

Modify

Time Range:

91.01 1999 12:00 AM - 05/25/1999 4:37 PM

Sort Order:

Time period




Fig. ZIB



### **Standard Reports**

#### **View Report**

Conference Center Usage by Number of Uses

Report Title:

Conference Center usage by Number of Uses

Report Description:

Calculate the number of times the specified

conference center is used.

Type of Call:

N/A

Time Range:

06/01/1999 12:00 AM - 11/30/1999 11:59 PM

Sort Order:

Avistar network




Fig. ZZA

### **Standard Reports**

#### View Report

Conterence Center Usage by Cumulative Time Used

Report Title:

Conference Center Usage by Cumulative Time Used

Report Description:

Calculates the cumulative time the specified

conference center is used.

Type of Call:

 $\nearrow$   $\rightarrow$ 

Time Range:

06/01/1999 12:00 AM - 11/30/1999 11:59 PM

Sort Order:

Avistar network




Fig. ZZB

# **Standard Reports**

#### View Report

Report Title:

Conference Center Busy by Percentage of Attempted Us

Report Description:

center on the specified Avistar network was busy

when it was called.

Type of Call:

 $N \cdot A$ 

Time Range:

06/01/1999 12:00 AM - 11/30/1999 11:59 PM




Fig. 32C

# 45/49

### **Standard Reports**

View Report

Conference Call Availability

Report Title:

Conference Call Availability

Report Description:

Calculate the number of conference calls available for completion the number of conference calls not completed due to unavailable resources, and the number of calls not completed due to Avistar network error.

Type of Call:

N/A

Time Range:

06/01/1999 12:00 AM - 11/30/1999 11:59 PM

Sort Order:

Avistar network




Fig. ZZD

7240

Fig. ZZE

Lunk Busies Report

#### Summary for Dallas:texas3

Avistar Switch	5:00am	6:00am	7:00am	8:00am	9:00am	10:00am	11:00am	12:00pm	1:00pm	2:00am	3:00pm	4:00pm	5:00pm	6:00pm
Redwood Shores:	1	0	0	0	o	3	4	5	10	12	10	6	0	0
Redwood Shores:	n	0	o	o	0	9	0	o	0	0	0	o	0	0
Redwood Shores:	· - º	o	0	0	0	o ·	0	0	0	0	0	υ	0	0
Redwood Shores:	۰ 0	0	0	0	0	0	0	0	0	0	0	0	0	0
New York:	0	0	0	0	0	1	2	3	1	3	4	6	2	0
London:	- 0	0	0	0	0	0	0	0	0	0	0	1	2	3

#### Summary for Eton:walrus

Switch	5:00am	6:00am	7:00am	8:00am	9:00am	10:00am	11:00am	12:00pm	1:00pm	2:00am	3:00pm	4:00pm	5:00pm	6:00pm
Redwood Shores:	1	0	0	0	o	3	4	5	10	12	10	6	o	0
Redwood Shores:	o	0	0	0	0	0	0	0	0	o	ο.	0	o	0
Redwood Shores:	0	0	0	9	0	0.	0	0 .	0	o	0	0	0	0
Redwood Shores:	0	0	0	0	0	ð	0	0	0	o	0	0	0	0
New York:	. 0	0	o	ŋ	0	ï	2	3	!	3	4	6	2	9
London:	<b>-</b> 0	0	c	)	c	0	0	ũ	0	0	ō	1	2	3

#### 47149

#### My Custom Reports

#### Menu

The Custom Reports listed below have been saved a Custom Report, start with a <u>Standard Report</u> or a Custom Report, modify any report settings, then dick the "save as custom" button.

# PA Sajes/AD - Last Month Call Duration

Created: 06/09/1999

Tabulates cumulative minutes of use for LAN and WAN calls originated and/or received by specified users

during a time period. [delete]

mac stackedNumber Of Calls Completed by User िया

Created: 06/03/1999

netscape 4.0 - mac - stacked report

[delete]

Number of Calls Completed by Time Period [id]

Created: 06/03/1999 Mac i.e. 4.0 stacked chart

[delete]

Number Of Calls Completed by User - W

Created: 06/03/1999

Mac i.e. 4.0 bar chart saved report - print version

working also.

User Call Detail - mac text i.e. 4.0

Created: 06/03/1999

Detailed account of the calls made to (originate), from (receive), or to and from (originate and receive) a user or group of users.

[delete]

MAC -Number of Calls Completed by Time Period

Created: 05/28/1999

MAC - Tabulates number of calls originated and/or received by users in time periods over a specified time range with breakdown of LAN and WAN calls.

[delete]

mac - Number Of Calls Completed by User [ht]

Created: 05/28/1999

MAC - Tabulates number of calls originated and/or received by users in a time period with breakdown of

LAN and WAN calls

[delete]

Number Of Calls Completed by User lub

Created: 05/28/1999

Tabulates number of calls originated and/or received by users in a time period with breakdown of LAN and WAN

cails [delete]

User Call Detail - saving on the mac

Created: 05/28/1999

This report is generated and saved from a mac.

Detailed account of the calls made to (originate), from (receive), or to and from (originate and receive) a user or group of users.

delete)

- Mac Total Device Usage by Duration

Created: 06/03/1999

Cumulative minutes of use (inbound and outbound)

Custom Reports

for a list of devices over a time range.

[delete]

Total Device Usage by Number of Calls

Created: 06/03/1999

netscape 4.0 mac - text report

[delete]

Total Device Usage by Duration - mac testing more

1

Created: 05/28/1999

mac -Cumulative minutes of use (inbound and

outbound) for a list of devices over a time range.

[delete]

Total Device Usage by Duration

Created: 04/16/1999

Cumulative minutes of use (inbound and outbound)

for a list of devices over a time range.

[delete]

Ouad Usage by Number of Calls

Created: 04/14/1999

Total number of inbound and outbound calls for a list

of devices over a time range.

[delete]

Z 300

Fig. 23

M	y Custom Reports	Save	
To save a custo	om report, please enter a title and descr	iption below:	
Report Title:	PA Sales/AD - Last Month Call Duration		
Description:	Tabulates cumulative minutes of use for LAN a originated and/or received by specified users du		
Save Repor	ı		

7400

Fig. 24

# 49149

M	y Custom Reports	Save	
Your cus	tom Report has been sav	ed!	
Description:	Tabulates cumulative minutes of use for LAN a originated and/or received by specified users du		
Close Wind	low		


7500

Fig. 25

#### INTERNATIONAL SEARCH REPORT

International application No.
PCT/US00/15990

A. CLASSIFICATION OF SUBJECT MATTER  IPC(7):G06F 17/30  US CL: Please See Extra Sheet.  According to International Patent Classification (IPC) or to both to the second decomposition of the second de	
Documentation searched other than minimum documentation to the IEEE	extent that such documents are included in the fields searched
Electronic data base consulted during the international search (na Please See Extra Sheet.	me of data base and, where practicable, search terms used)
C. DOCUMENTS CONSIDERED TO BE RELEVANT	
Category Citation of document, with indication, where app	propriate, of the relevant passages Relevant to claim No.
Please See Continuation of Second She	et.
X Further documents are listed in the continuation of Box C	
*A" document defining the general state of the art which is not considered to be of particular relevance	"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
*E* earlier document published on or after the international filing date	"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step
*L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	"Y" document of particular relevance; the claimed invention cannot be
"O" document referring to an oral disclosure, use, exhibition or other means	considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
*P" document published prior to the international filing date but later than the priority date claimed	*&* document member of the same patent family
Date of the actual completion of the international search	Date of mailing of the international search report
11 AUGUST 2000	2 8 AUG 2000
Name and mailing address of the ISA/US Commissioner of Patents and Trademarks Box PCT Washington, D.C. 20231 Facsimile No. (703) 305-3230	Authorized officer  John E. Breene  Telephone No. (703) 305-9790



International application No. PCT/US00/15990

C (Continua	tion). DOCUMENTS CONSIDERED TO BE RELEVANT	
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 5,862,325 A [REED et al] 19 January 1999, Figure 1, 7-8, col 3, lines 62-67, col 4, line 1-67, col 7, lines 58-67, col 8, lines 1-2, lines 34-67, col 9, lines 50-67, col 10, lines 1-10, col 11, lines 65-67, col 12, lines 1-47, col 14, lines 15-55, col 16, lines 55-67, col 17, lines 1-21, col 20, lines 13-49, col 22, lines 46-56, col 24, lines 45-67, col 25, lines 1-52, col 26, lines 36-46, col 34, line 49-67, col 35, lines 40-65, col 37, lines 44-53, col 41, lines 34-67, col 42, lines 1-15, col 43, lines 26-59, col 39, lines 30-39, col 52, lines 8-11, col 53, lines 66-67, col 54, lines 1-3, col 56, lines 43-67, col 57, lines 1-38, col 61, lines 61-67, col 62, lines 1-23, col 69, lines 27-67, col 70, lines 45-61, col 71, lines 59-67, col 72, lines 1-67, col 73, lines 1-11, col 77, lines 58-67, col 78, lines 1-4, lines 54-65, col 80, lines 18-26, col 92, lines 24-36, col 93, lines 30-43, col 96, lines 48-55, col 100, lines 58-67, col 101, lines 1-22, col 107, lines 44-67, col 109, lines 44-50.	1-52
А,Р	US 5,987,454 A [HOBBS] 16 November 1999, Fig 1-1-4, 6A, 8, col 1, lines 35-67, col 2, lines 1-23, col 3, 1-67, col 4, lines 1-11, col 7, lines 34-67, col 8, lines 1-52, col 10, lines 44-67, col 11, lines 1-19, col 16, lines 34-59, col 18, lines 49-67, col 19, lines 54-67, col 20, lines 1-8, col 21, lines 5-39, lines 60-67, col 22, lines 1-30, col 23, lines 2-13	31, 42-43, 44, 52
A	US 5,893,903 A [EISDORFER et al] 13 April 1999, figs 1-3, col 1, lines 1-36, col 2, lines 55-67, col 3, lines 1-6, col3, lines 34-67, col 4, lines 1-3, lines 45-53, col 4, lines 8-55, col 8, lines 9-15, col 8, lines 60-67, col 9, lines 1-35.	10-13, 22-23, 31-35



#### INTERNATIONAL SEARCH REPORT

International application No. PCT/US00/15990

A. CLASSIFICATION OF SUBJECT MATTER: US CL:

345/968-969 379/88.13,88.17,88.19,93.25,900-901,903,908 705/17-18,20-22,43-44,51,56,58,72-73 707/1-10,100-104,200-206,500-501 709/201,203,213,217-220,223-224,230-232,236,249 713/200-202

B. FIELDS SEARCHED
Minimum documentation searched
Classification System: U.S.

345/968-969 379/88.13,88.17,88.19,93.25,900-901,903,908 705/17-18,20-22,43-44,51,56,58,72-73 707/1-10,100-104,200-206,500-501 709/201,203,213,217-220,223-224,230-232,236,249 713/200-202

#### **B. FIELDS SEARCHED**

Electronic data bases consulted (Name of data base and where practicable terms used):

#### Google, WEST 2.0


Search terms: multimedia, collaboration, reporting system, internet or www or world wide web or networks, events or activities, monitoring, modules, database or databases classifying or classification, attributes, query or search, parameters, SQL interface, generating reports or analysis or charts or graphs, centralize or decentralize, log files or log records or log session, user ids or customer ids or identification or password, timestamp, customizing reports, sharing data, workstations, filter, html or web page or web documents.

Form PCT/ISA/210 (extra sheet) (July 1998)\*

## INTERNATIONAL SEARCH REPORT


International application No.
PCT/US00/15990

A. CLASSIFICATION OF SUBJECT MATTER  IPC(7) :G06F 17/30  US CL :Please See Extra Sheet.  According to International Patent Classification (IPC) or to both respectively.	national classification and IPC
B. FIELDS SEARCHED	
Minimum documentation searched (classification system followed	by classification symbols)
U.S. : Please See Extra Sheet.	
Documentation searched other than minimum documentation to the IEEE	extent that such documents are included in the fields searched
Electronic data base consulted during the international search (na Please See Extra Sheet.	me of data base and, where practicable, search terms used)
C. DOCUMENTS CONSIDERED TO BE RELEVANT	
Category* Citation of document, with indication, where app	propriate, of the relevant passages Relevant to claim No.
X Further documents are listed in the continuation of Box C	. See patent family annex.
Special categories of cited documents:  "A" document defining the general state of the art which is not considered to be of particular relevance	"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
"E" earlier document published on or after the international filing date	"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
*L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is
document referring to an oral disclosure, use, exhibition or other means	combined with one or more other such documents, such combination being obvious to a person skilled in the art
document published prior to the international filing date but later than the priority date claimed  Date of the actual completion of the international search	"&" document member of the same patent family  Date of mailing of the international search report
11 AUGUST 2000	28 AUG 2000
Name and mailing address of the ISA/US Commissioner of Patents and Trademarks	Authorized officer
Box PCT Washington, D.C. 20231	John E. Breene
Faccimile No. (703) 305-3230	Telephone No. (703) 305-9790



International application No. PCT/US00/15990

Category*	Citation of document, with indication, where appropriate, of the relevant passages Relevant				
X	US 5,862,325 A [REED et al] 19 January 1999, Figure 1, 7-8, col 3, lines 62-67, col 4, line 1-67, col 7, lines 58-67, col 8, lines 1-2, lines 34-67, col 9, lines 50-67, col 10, lines 1-10, col 11, lines 65-67, col 12, lines 1-47, col 14, lines 15-55, col 16, lines 55-67, col 17, lines 1-21, col 20, lines 13-49, col 22, lines 46-56, col 24, lines 45-67, col 25, lines 1-52, col 26, lines 36-46, col 34, line 49-67, col 35, lines 40-65, col 37, lines 44-53, col 41, lines 34-67, col 42, lines 1-15, col 43, lines 26-59, col 39, lines 30-39, col 52, lines 8-11, col 53, lines 66-67, col 54, lines 1-3, col 56, lines 43-67, col 57, lines 1-38, col 61, lines 61-67, col 62, lines 1-23, col 69, lines 27-67, col 70, lines 45-61, col 71, lines 59-67, col 72, lines 1-67, col 73, lines 1-11, col 77, lines 58-67, col 78, lines 1-4, lines 54-65, col 80, lines 18-26, col 92, lines 24-36, col 93, lines 30-43, col 96, lines 48-55, col 100, lines 58-67, col 101, lines 1-22, col 107, lines 44-67, col 109, lines 44-50.	1-52			
A,P	US 5,987,454 A [HOBBS] 16 November 1999, Fig 1-1-4, 6A, 8, col 1, lines 35-67, col 2, lines 1-23, col 3, 1-67, col 4, lines 1-11, col 7, lines 34-67, col 8, lines 1-52, col 10, lines 44-67, col 11, lines 1-19, col 16, lines 34-59, col 18, lines 49-67, col 19, lines 54-67, col 20, lines 1-8, col 21, lines 5-39, lines 60-67, col 22, lines 1-30, col 23, lines 2-13	31, 42-43, 44, 52			
A	US 5,893,903 A [EISDORFER et al] 13 April 1999, figs 1-3, col 1, lines 1-36, col 2, lines 55-67, col 3, lines 1-6, col3, lines 34-67, col 4, lines 1-3, lines 45-53, col 4, lines 8-55, col 8, lines 9-15, col 8, lines 60-67, col 9, lines 1-35.	10-13, 22-23, 31-35			





International application No. PCT/US00/15990

A. CLASSIFICATION OF SUBJECT MATTER: US CL  $\,:\,$ 

345/968-969 379/88.13,88.17,88.19,93.25,900-901,903,908 705/17-18,20-22,43-44,51,56,58,72-73 707/1-10,100-104,200-206,500-501 709/201,203,213,217-220,223-224,230-232,236,249 713/200-202

#### B. FIELDS SEARCHED

Minimum documentation searched Classification System: U.S.

345/968-969 379/88.13,88.17,88.19,93.25,900-901,903,908 705/17-18,20-22,43-44,51,56,58,72-73 707/1-10,100-104,200-206,500-501 709/201,203,213,217-220,223-224,230-232,236,249 713/200-202

#### **B. FIELDS SEARCHED**

Electronic data bases consulted (Name of data base and where practicable terms used):

#### Google, WEST 2.0

Search terms: multimedia, collaboration, reporting system, internet or www or world wide web or networks, events or activities, monitoring, modules, database or databases classifying or classification, attributes, query or search, parameters, SQL interface, generating reports or analysis or charts or graphs, centralize or decentralize, log files or log records or log session, user ids or customer ids or identification or password, timestamp, customizing reports, sharing data, workstations, filter, html or web page or web documents.



patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

#### Published:


Å,

- with international search report
- (48) Date of publication of this corrected version:


25 October 2001


#### (15) Information about Correction: see PCT Gazette No. 43/2001 of 25 October 2001, Section II


For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.




**SUBSTITUTE SHEET (RULE 26)** 








**SUBSTITUTE SHEET (RULE 26)** 










FIGURE 8
SUBSTITUTE SHEET (RULE 26)








number text(50) VALUE TEXT(100) NAME TEXT(200) WANNUMBERS NAME TEXT(50) RID LONG (IE) SORTCHOICE DLONG JSER Servicetype text(50) Category Text(50) STARTTIME LONG (IE) Starttime Long (IE) **JURATION DOUBLE** ENDTIME LONG (IE) DEVICEID LONG (IE) **DURATION DOUBLE ENDTIME LONG (IE)** JSERID LONG (IE) NAME TEXT (50) OGID LONG (AK) OGID LONG (AK) DAY LONG MONTH LONG DEVICEUSAGE WEEK LONG HOUR LONG ID LONG DEVICE OGIN NAME TEXT(75) Calleeterminalid Text(50) (IE) CALLEETRUNKPORT TEXT(50) ID LONG CALLEEIDAVISTAR TEXT(50) Calleedeviceid Long (IE) FELD **NANDURATION DOUBLE** ANDURATION DOUBLE CALLEEMODE TEXT(50) CALLEEPORT TEXT(50) CALLEEID LONG (IE) **WANCALLS LONG** LANCALLS LONG OGID LONG (IE) DESCRIPTION TEXT(250) DATECONST LONG DISPLAY TEXT(50) CALLEE CUSTOMREPORT ITLE TEXT(75) RID LONG ID CONG CONFIDAVISTAR TEXT(50) STARTTIME LONG (IE) EVICEID LONG (IE) ENDTIME LONG (IE) CALLEE LONG (IE) NAME TEXT (200) CALLER LONG (IE) OGID LONG (IE) CONFERENCE D LONG (AK) 300b CALLUSERS ID LONG


FIGURE 7B


SUBSTITUTE SHEET (RULE 26)











SUBSTITUTE SHEET (RULE 26)

STANDARD REPORTS

Standard Reports

Resource Usage

# fotal number of inbound and outbound calls for a list of Total Device Usage by number of Calls [III] devices over a time range. Detailed account of calls made between a user or group of users, and another user or group of users. **User Activity** Calls Between Users 🗐

# Jser Call Detail 🔳

Detailed account of the calls made to (originate), from (receive), or to and from (originate and receive) a user Number of Calls Completed by User 🔟 or group of users.

users in a time period with breakdown of LAN and WAN Tabulates number of calls originated and/or received by calls.

abulates number of calls originated and/or received by users in time periods over a specified time range with Number of Calls C<u>ompleted by Time Period</u> (邮 breakdown of LAN and WAN calls.

calls originated and/or received by specified users during Tabulates cumulative minutes of use for LAN and WAN Call Duration 🔟 a time period

Sumulative minutes of use (inbound and outbound) for a

ist of devices over a time range.

Total Device Usage by Duration


Cumulative minutes of use (inbound and outbound) for a

Total Device Usage by Time Period [III]

ist of devices in each time period over a range of time.



FIGURE 12





1350-

16/47

FIGURE 13B

**REPORT TITLE:** 

Calls Between Users

REPORT DESCRIPTION:

Detailed account of calls made between a user or group of

users, and another user or group of users.

**TYPE OF CALL:** 

N/A

**TIME RANGE:** 

05/01/1999 12:00 AM - 05/31/1999 11:59 PM

**SORT ORDER:** 

By User then Chronologically

Number of Call Records Found: 37 (Displaying 1-37)

Total Call Minutes: 0:23:31


CALL ORIGINATOR	LAN CALL RECIPIENT(S) WAN	CALL	START TIME	DURATION
	Reci	pient(s)		
ANGELA KILPATRICK	HEATHER DAVIS-RECEPTIONIST		05/03/1999 7:35 AM	0:00:14
ANGELA KILPATRICK	HEATHER DAVIS-RECEPTIONIST, FRIC WOOD	·	05/03/1999 7:35 AM	0:00:23
ANGELA KILPATRICK	HEATHER DAVIS- RECEPTIONIST		05/03/1999 8:24 AM	0:00:29
ANGELA KILPATRICK	HEATHER DAVIS- BECEPTIONIST		05/03/1999 2:07 PM	0:00:41
ANGELA KILPATRICK	HEATHER DAVIS- BECEPTIONIST		05/03/1999 2:20 PM	0:00:17
ANGELA KILPATRICK	HEATHER DAVIS- RECEPTIONIST		05/03/1999 2:21 PM	0:01:13
ANGELA KILPATRICK	HEATHER DAVIS- RECEPTIONIST		05/04/1999 8:43 AM	0:00:31
ANGELA KILPATRICK			05/04/1999 12:42 PM	0:00:18
ANGELA KILPATRICK			05/04/1999 2:21 PM	0:00:48
ANGELA KILPATRICK			05/05/1999 8:43 AM	0:00:05
ANGELA KILPATRICK			05/05/1999 9:07 AM	0:01:18
ANGELA KILPATRICK			05/06/1999 B:13 AM	0:00:26
ANGELA KILPATRICK			05/07/1999 8:00 AM	0:01:00
ANGELA KILPATRICK			05/07/1999 11:13 AM	0:00:14
ANGELA KILPATRICK	CHRIS LAUWERS		05/07/1999 11:29 AM	0:00:07
ANGELA KILPATRICK	MIKE DAINKO		05/10/1999 11:25 AM	0:00:04
ANGELA KILPATRICK	HEATHER DAVIS-RECEPTIONIST		05/11/1999 8:22 AM	0:01:18
HEATHER DAVIS- RECEPTIONIST	ELLIE WIERENGA ANGELA KILPATRICK		05/03/1999 7:33 AM	0:02:04
HEATHER DAVIS- BECEPTIONIST	ANGELA KILPATRICK		05/03/1999 8:46 AM	0:00:37
HEATHER DAVIS- RECEPTIONIST	ANGELA KILPATRICK		05/05/1999 10:05 AM	0:00:11




MIKE DAINKO	ANGELA KILPATRICK		05/10/1999 11:29 AM	0:00:43
DIANN CUPPLES		HEATHER DAVIS- RECEPTIONIST	05/10/1999 9:17 AM	0:00:38
CHRIS LAUWERS		DIANN CUPPLES	05/04/1999 12:47 AM	0:03:49
HEATHER DAVIS- RECEPTIONIST		DIANN CUPPLES	05/11/1999 8:48 AM	0:01:36
TAMMY FRESCA	CHRIS LAUWERS		05/05/1999 11:33 AM	0:00:04
TAMMY FRESCA	CHRIS LAUWERS		05/051999 11:34 AM	0:00:07
TAMMY FRESCA	CHRIS LAUWERS		05/05/1999 11:40 AM	0:00:02
TAMMY FRESCA	CHRIS LAUWERS		05/06/1999 7:26 AM	0:00:03
TAMMY FRESCA	LAN RUPF, CHRIS LAUWERS	DEBBIE ROSENKOETTER	05/06/1999 7:34 AM	0:02:21
TAMMY FRESCA	CHRIS LAUWERS		05/06/1999 7:36 AM	0:00:08
TAMMY FRESCA	CHRIS LAUWERS		05/06/1999 7:39 AM	0:00:28
TAMMY FRESCA	CHRIS LAUWERS		05/10/1999 12:44 PM	0:00:12
CHRIS LAUWERS	TAMMY FRESCA		05/03/1999 2:28 PM	0:00:29
CHRIS LAUWERS	TAMMY FRESCA		05/05/1999 12:29 PM	0:00:03
CHRIS LAUWERS	TAMMY FRESCA		05/06/1999 7:38 AM	0:00:02
CHRIS LAUWERS	TAMMY FRESCA		05/06/1999 12:35 PM	0:00:16
HEATHER DAVIS- RECEPTIONIST	TAMMY FRESCA		05/10/1999 8:52 AM	0:00:12
TOT	AL LAN MINUT	ES: 0:23:34 TOTA	IL WAN MINUTES: 0:0	8:24

1350

FIGURE 13C





1450 -

# 19/47

FIGURE 14B

**REPORT TITLE:** 

User Call Detail

**REPORT DESCRIPTION:** 

Detailed account of calls made to (originate), from (receive), or to and from (originate and receive) a user or group of users.

**TYPE OF CALL:** 

Originate and Receive

TIME RANGE:


05/01/1999 12:00 AM - 05/31/1999 11:59 PM

**SORT ORDER:** 

Chronologically

Number of Call Records Found: 68 (Displaying 1-68)


	Total Call Minutes: 2:21:55					
CALL ORIGINATOR	LAN CALL RECIPIEN	IT(S) WAN CALL Recipient(s)	START TIME	DURATION		
MIKE DAINKO	CNN_PALO_ALTO		05/10/1999 7:07 AM	0:01:29		
PAUL GAMBERDELLA	TAMMY FRESCA, MIKE DAINKO	OUTSIDE CALL, OUTSIDE CALL	05/10/1999 7:11 AM	D:13:54		
MIKE DAINKO	WILL DAINING	JOSH ROSENBLUM	05/10/1999 7:25 AM	0:00:10		
MIKE DAINKO		JOSH ROSENBLUM	05/10/1999 7:25 AM	0:00:17		
MIKE DAINKO		MATT BASHAM	05/10/1999 7:26 AM	0:02:16		
MIKE DAINKO		OUTSIDE CALL	05/10/1999 7:34 AM	0:02:03		
MIKE DAINKO		DEBBIE ROSENKOETTER	05/10/1999 7:38 AM	0:20:00		
MIKE DAINKO		DEBBIE ROSENKOETTER	05/10/1999 7:58 AM	0:11:20		
DEBBIE ROSENKOETTEB		MIKE DAINKO	05/10/1999 8:09 AM	0:00:02		
DEBBIE ROSENKOETTER		MIKE DAINKO	05/10/1999 8:09 AM	0:02:24		
DEBBIE ROSENKOETTER		MIKE DAINKO	05/10/1999 8:12 AM	0:04:44		
DEBBIE BOSENKOETTER		MIKE DAINKO	05/10/1999 8:23 AM	0:00:07		
DEBBIE BOSENKOETTER		MIKE DAINKO	05/10/1999 8:23 AM	0:01:37		
MIKE DAINKO		JOSH ROSENBLUM, DEBBIE BOSENKOFTTER	05/10/1999 8:25 AM	0:01:21		
MIKE DAINKO		DEBBIE ROSENKOETTER	05/10/1999 8:26 AM	0:01:27		
MIKE DAINKO		DEBBIE ROSENKOETTER	05/10/1999 8:28 AM	0:00:19		
DEBBIE ROSENKOETTER		MIKE DAINKO	05/10/1999 8:28 AM	0:00:08		
DEBBIF	<del> </del>	MIKE DAINKO	05/10/1999 8:29 AM	0:00:08		
RÖSENKOETTER I DEBBIE ROSENKOETTER		MIKE DAINKO	05/10/1999 8:29 AM	0:01:01		
MIKE DAINKO		DEBBIE ROSENKOETTER	05/10/1999 8:30 AM	0:02:44		



# FIGURE 14C 20/47

1450

Debbie Posenkoetten		Mike Dainko	05/10/1999 8:33 AM	0:00:08
Rosenkoetter Debbie Rosenkoetter		Mike Dainko	05/10/1999 8:34 AM	0:01:33
Debbie		Mike Dainko	05/10/1999 8:36 AM	0:00:53
Rosenkoetter MikeDainko		Debbie Rosenkoetter	05/10/1999 8:37 AM	0:00:47
Debbie Rosenkoetter		Mike Dainko	05/10/1999 8:37 AM	0:00:08
Debbie Rosenkoetter		Mike Dainko	05/10/1999 8:38 AM	0:00:30
Debbie Rosenkoetter		Mike Dainko	05/10/1999 8:38 PM	0:00:01
MikeDainko		Outside Call	05/10/1999 8:39 AM	0:00:04
Debbie Rosenkoetter		Mike Dainko	05/10/1999 8:39 AM	0:00:31
Mike Dainko		Debbie Rosenkoetter	05/10/1999 8:40 AM	0:00:51
Mike Dainko .		lan O'Brien	05/10/1999 8:41 AM	0:07:07
Mike Dainko	Mike Dainko	Outside Call	05/10/1999 8:52AM	0:00:12
Brian Wood	Mike Dainko		05/10/1999 9:00 AM	0:00:41
Brian Wood	Mike Dainko		05/10/1999 9:03 AM	0:01:55
Brian Wood	Brian Wood	Outside Call	05/10/1999 9:05 AM	0:01:13
Mike Dainko	Mike Dainko		05/10/1999 9:10 AM	0:00:03
Brian Wood	Mike Dainko		05/10/1999 9:15 AM	0:00:06
Brian Wood			05/10/1999 9:26 AM	0:00:03
Mike Dainko	MikeDainko	Outside Call	05/10/1999 9:45 AM	0:00:13
Tanya Tran	MikeDainko		05/10/1999 9:57 AM	0:00:08
Brian Wood			05/10/1999 10:02 AM	0:00:03
Mike Dainko		Outside Call	05/10/1999 11:11 AM	0:00:49
Mike Dainko		Debbie Rosenkoetter	05/10/1999 11:12 AM	0:02:11
Mike Dainko	Mike Dainko	Outside Call	05/10/1999 11:22 AM	0:00:36
Angela Kilpatrick	Angela Kilpatrick		05/10/1999 11:25 AM	0:00:04
Mike Dainko	Steve Arisco		05/10/1999 11:29 AM	0:00:43
Mike Dainko			05/10/1999 11:30 AM	0:00:11



1450\_\_\_\_

# 21/47

lan O'Brien		Mike Dainko	05/10/1999 11:31 AM	0:01:18
Mike Dainko		Outside Call	05/10/1999 11:33 AM	0:00:16
Mike Dainko	Pearl O'Brien		05/10/1999 11:33 AM	0:01:42
Mike Dainko	Pearl O'Brien		05/10/1999 11:37AM	0:02:17
Pearl O'Brien	Mike Dainko, Jean Dominguez	Outside Call	05/10/1999 11:39 AM	0:16:52
Mike Dainko		Outside Call	05/10/1999 11:43AM	0:00:13
Brian Wood	Mike Dainko		05/10/1999 12:05 PM	0:00:03
Mike Dainko		Outside Call	05/10/1999 4:13 PM	0:04:48
Mike Dainko		Outside Call, Outside Call	05/10/1999 4:18 PM	0:01:03
Mike Dainko		Outside Call	05/10/1999 4:19 PM	0:00:42
Mike Dainko		Outside Call	05/10/1999 4:20 PM	0:00:56
Mike Dainko		Outside Call	05/10/1999 4:22 PM	0:01:02
Mike Dainko		Outside Call	05/10/1999 4:25 PM	0:14:33
Mike Dainko	Chris Lauwers		05/10/1999 4:33 PM	0:00:08
Mike Dainko	Alex Vasylenko		05/10/1999 4:33 PM	0:00:11
Mike Dainko	Chris Lauwers		05/10/1999 4:33 PM	0:00:51
Outside Call	Mike Dainko		05/10/1999 4:41 PM	0:00:47
Mike Dainko		Outside Call	05/10/1999 4:47 PM	0:00:13
Mike Dainko		Outside Call	05/10/1999 4:48 PM	0:03:59
Mike Dainko		Outside Call	05/10/1999 4:52 PM	0:00:43
Mike Dainko	Steve Arisco	-	05/10/1999 4:53 PM	0:00:03
TOT	TAL LAN MINUT	ES: 1:31:05 TO	ITAL WAN MINUTES: 2:26	:45

FIGURE 14D







FIGURE 15A







USER









Standard Reports

STANDARD REPORTS

View Report CALL DURATION

REPORT TITLE:

PRINT FORMAT

Call Duration

REPORT DESCRIPTION: Tabulates cumulative minutes of use for LAN and WAN calls originated

and/or received by specified users during a time period.

TYPE OF CALL:

SAVE AS CUSTOM

MODIFY

Originate and Receive

04/01/1999 12:00 AM - 04/30/1999 11:59 PM TIME RANGE:

SORT ORDER:

Descending # of LAN Calls

LAN GALLS	<b>WAN CALLS</b>
09	94
117	161
171	208
208	240
368	444
1122	792
2070	1939

PAUL GAMBERDELLA

**ERIC WOOD** 

JAN AFRIDI

**BRIAN WOOD** 

JIM HUGHES

TOTAL

1750

FIGURE 17C

**GREG PAXTON** 

USER

**REPORT TITLE:** 

Call Duration

**REPORT DESCRIPTION:** Tabulates cumulative minutes of use for LAN and WAN calls originated and/or received by specified users during a time period.

TYPE OF CALL:

Originate

**TIME RANGE:** 

05/01/1999 12:00 AM - 05/31/1999 11:59 PM

**SORT ORDER:** 

Descending # of LAN Calls

USER	LAN CALLS	WAN CALLS
GREG PAXTON	60	94
JAN AFRIDI	117	161
ERIC WOOD	171	208
PAUL GAMBERDELLA	208	240
BRIAN WOOD	392	444
JIM HUGHES	1122	792
TOTAL	2070	1939

1750

FIGURE 17D

WAN DIAL-UP WAN DEDICATED

**View Report** Standard Reports

USER CALL TOTAL
BY TIME PERIOD
USER CALL TOTAL BY TIME PERIOD

CALCULATES THE MINUTES OF USE FOR A USER (OR GROUP OF USERS) OVER A SPECIFIED PERIOD OF TIME.

REPORT DESCRIPTION:

REPORT TITLE:

TYPE OF CALL:

ORIGINATE OR RECEIVE


06/01/1999 12:00 AM - 11/30/1999 11:59 PM

SORT ORDER:


TIME RANGE:


TIME PERIOD


30/47




MINUTES OF USE Figure 18A








**SUBSTITUTE SHEET (RULE 26)** 





**SUBSTITUTE SHEET (RULE 26)** 


2050


36/47

**REPORT DESCRIPTION:** Cumulative minutes of use (inbound and outbound) for a list of devices over a time range. TOTAL DEVICE USAGE BY DURATION **View Report** 04/01/1999 12:00 AM - 04/30/1999 11:59 PM Total Device Usage by Duration V STANDARD REPORTS Device **Standard Reports** REPORT TITLE: TYPE OF CALL: TIME RANGE: SORT ORDER: SAVE AS CUSTON PRINT FORMAT

DEVICE NAMEMINUTES IN USEcctwo679gpt1209tanDed800

FIGURE 20B





2200

# 39/47

**View Report** 

CONFERENCE CENTER USAGE

Standard Reports

BY NUMBER OF USES

CONFERENCE CENTER USAGE BY NUMBER OF USES

REPORT TITLE:

CALCULATES THE NUMBER OF TIMES THE SPECIFIED CONFERENCE CENTER IS USED REPORT DESCRIPTION:

TYPE OF CALL:

N/A

06/01/1999 12:00 AM - 11/30/1999 11:59 PM

SORT ORDER:

TIME RANGE:

**AVISTAR NETWORK** 




Figure 22A

-2225

# 40/47

View Report

Standard Reports

CONFERENCE CENTER USAGE BY CUMULATIVE TIME USED

CONFERENCE CENTER USAGE BY CUMULATIVE TIME USED

CALCULATES THE CUMULATIVE TIME THE SPECIFIED CONFERENCE CENTER IS USED

REPORT DESCRIPTION:

REPORT TITLE:


TYPE OF CALL:

06/01/1999 12:00 AM - 11/30/1999 11:59 PM  $\stackrel{\mathsf{M}}{\sim}$ 

SORT ORDER:

TIME RANGE:

**AVISTAR NETWORK** 



MINUTES

Figure 22B

SUBSTITUTE SHEET (RULE 26)

-2250

# 41/47

Standard Reports

CONFERENCE CENTER BUSY BY PERCENTAGE OF ATTEMPTED USE

**View Report** 

CONFERENCE CENTER BUSY BY PERCENTAGE OF ATTEMPTED USE

REPORT TITLE:

CENTER ON THE SPECIFIED AVISTAR NETWORK WAS BUSY WHEN IT WAS CALLED REPORT DESCRIPTION:

TYPE OF CALL:


Ν

06/01/1999 12:00 AM - 11/30/1999 11:59 PM

SORT ORDER:

TIME RANGE:

**AVISTAR NETWORK** 



PERCENT

FIGURE 22C

2275

# View Report

CONFERENCE CALL AVAILABILITY

Standard Reports


CONFERENCE CALL AVAILABILITY REPORT TITLE:

CALCULATES THE NUMBER OF CONFERENCE CALLS AVAILABLE FOR REPORT DESCRIPTION:


COMPLETION, THE NUMBER OF CONFERENCE CALLS NOT COMPLETED DUE TO UNAVAILABLE RESOURCES, AND THE NUMBER OF CALLS NOT

COMPLETED DUE TO AVISTAR NETWORK ERROR

D6/01/1999 12:00 AM - 11/30/1999 11:59 PM MAM **rype of Call:** TIME RANGE:



42/47



OF CALLS NUMBER

43/47

AVISTAR 5:00AM 6:00AM 7:00AM 8:00AM 9:00AM 10:00AM 11:00AM 12:00PM 1:00PM 2:00PM 3:00PM 4:00PM 5:00PM 6:00PM SWITCH SUMMARY FOR DALLAS:texas3

TRUNK BUSIES REPORT

0	0	0	0	0	ო
0	0	0	0	Q	ત્ય
9	0	0	0	മ	<del>-</del>
10	0	0		4	<b>o</b> .
12	0	0	0	ო	0
10	0	0	0	<b>~</b>	0
വ	0	0	0	က	0
4	0	0	. 0	ณ	0
က	0	0	0	<b>~</b>	0
0	0		0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
<del>-</del>	0	0	0	0	0
REDWOOD SHORES: A	REDWOOD SHORES: A	REDWOOD SHORES: B	REDWOOD SHORES: B	NEW YORK: C	D CONDON:

FIGURE 22E

2290

44/47

AVISTAR 5:00AM 6:00AM 7:00AM 8:00AM 9:00AM 10:00AM 11:00AM 12:00PM 1:00PM 2:00PM 3:00PM 4:00PM 5:00PM 6:00PM SWITCH SUMMARY FOR ETON: walrus

TRUNK BUSIES REPORT

0	0	0	0	0	ന
0	0	0	0	വ	വ
O	0	0	0	മ	<b>~</b>
10	0	0	0	4	0
5	0	0	0	က	0
10	0	0	0	<b>~</b>	0
വ	0	0	. 0	ო	0
4	0	0	0	വ	0
က	0	0	<b>o</b> .	<del></del>	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	. 0	0	0	0
0	0	0	0	0	0
<b>-</b> ,	0	0	0	0	0
REDWOOD SHORES: A	REDWOOD SHORES: A	REDWOOD SHORES: B	REDWOOD SHORES: B	NEW YORK: C	D LONDON:

FIGURE 22F

2290

#### **CUSTOM REPORTS**

## **My Custom Reports**

#### MENU

The Custom Reports listed below have been saved.

To create a Custom Report, start with a Standard Report or a Custom Report, modify any report settings, then click the "save as custom" button.

#### **USER ACTIVITY**

PA Sales/AD - Last Month Call Duration Created: 06/09/1999

Tabulates cumulative minutes of use for LAN and WAN calls originated and/or received by specified users during a time period.

[delete]

mac stacked/Number of Calls Completed by User Created: 06/03/1999

netscape 4.0 - mac - stacked report [delete]

Number of Calls Completed by Time Period Created: 06/03/1999
mac i.e. 4.0 stacked chart [delete]

Number of Calls Completed by User Created: 06/03/1999
mac i.e. 4.0 bar chart saved report - print version working also.

User Call Detail - mac text i.e. 4.0 Created 06/03/1999

Detailed account of the calls made to (originate), from (receive), or to and from (originate and receive) a user or group of users.

Ideletel

MAC - Number of Calls Completed by Time Period
Created: 05/28/1999
MAC - Tabulates number of calls originated and/or

MAC - Tabulates number of calls originated and/or received by users in time periods over a specified time range with breakdown of LAN and WAN calls. <a href="[delete]">[delete]</a>

mac - Number of Calls Completed by User Created: 05/28/1999
MAC - Tabulates number of calls originated and/or received by users in a time period with breakdown of LAN and WAN calls [delete]

Number of Calls Completed by User
Created: 05/28/1999
Tabulates number of calls originated and/or received by users in a time period with breakdown of LAN and WAN calls
[delete]

User Call Detail - saving on the mac Created:05/28/1999
This report is generated and saved from a mac. Detailed account of the calls made to (originate, from (receive), or to and from (originate and receive) a user or group of users. [delete]

#### RESOURCE USAGE

- Mac Total Device Usage by Duration
Created: 06/03/1999
Cumulative minutes of use (inbound and outbound)
for a list of devices over a time range.
[delete]

Total Device Usage by Number of Calls
Created: 06/03/1999
netscape 4.0 mac - text report
Idelete

Total Device Usage by Duration - mac testing more Created: 05/28/1999
mac - Cumulative minutes of use (inbound and outbound) for a list of devices over a time range. Idelete!


Total Device Usage by Duration (Created: 04/16/1999)
Cumulative minutes of use (inbound and outbound) for a list of devices over a time range.
[delete]

Quad Usage by Number of Calls (Created: 04/14/1999)
Total number of inbound and outbound calls for a list of devices over a time range.
[Idelete]



FIGURE 23

46/47



**SUBSTITUTE SHEET (RULE 26)** 

